

Powered by Confident Cannabis

Groove, LLC Sample: 2202FID0720.4474

Strain: Sundae Driver

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000000397; METRC Sample: 1A408010000E4E9000000416 Analysis Initiated: 03/01/2022; Report Created: 03/03/2022

Sampling SOP: SOP-0050

#### Sundae Driver Live Rosin Badder (HB6)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 02/21/2022





67.59%

**Total Potential** Psychoactive THC

77.01%

**Total Raw THC** 

0.21%

Total CBD

81.64%

**Total Cannabinoids** 

**Pass** 

Foreign Matter

Complete


NR

Moisture

**Pass** Cannabinoids

Analytical Calibration Batch: Cannabinoids AF 02072022

%	% 76.59	mg/g
	74 50	
THCa 0.09	70.57	765.9
<b>Δ9-THC</b> 0.09	0.41	4.1
Δ8-THC 0.09	ND	ND
THCV 0.09	ND	ND
CBDa 0.09	0.24	2.4
CBD 0.09	ND	ND
CBN 0.09	ND	ND
CBGa 0.09	3.78	37.8
CBG 0.09	0.61	6.1
CBC 0.09	ND	ND
Total	81.64	816.4



Total Potential Psychoactive THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0037; Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Accreditation #: 102722

Andre Umansky Laboratory Director

Accredited to ISO/IEC 17025:2017

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []



Powered by Confident Cannabis

Groove, LLC Sample: 2202FID0720.4474

Strain: Sundae Driver Batch #: A; Lot #:

 $METRC\ Batch: 1A408010000E4E9000000397; METRC\ Sample: 1A408010000E4E9000000416$ 

Analysis Initiated: 03/01/2022; Report Created: 03/03/2022 Sampling SOP: SOP-0050

### Sundae Driver Live Rosin Badder (HB6)


Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 02/21/2022




#### Terpenes

Analyte	LOQ	Mass	Mass
	%	%	mg/g
δ-Limonene	0.008	2.186	21.86
β-Caryophyllene	0.008	1.380	13.80
Linalool	0.008	0.775	7.75
β-Pinene	0.008	0.542	5.42
α-Pinene	0.008	0.453	4.53
α-Humulene	0.008	0.406	4.06
α-Bisabolol	0.008	0.361	3.61
Ocimene	0.008	0.164	1.64
β-Myrcene	0.008	0.090	0.90
Camphene	0.008	0.059	0.59
Isopulegol	0.008	0.031	0.31
Terpinolene	0.008	0.013	0.13
α-Terpinene	0.008	ND	ND
Caryophyllene Oxide	0.008	ND	ND
cis-Nerolidol	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
y-Terpinene	0.008	ND	ND
Geraniol	0.008	ND	ND
Guaiol	0.008	ND	ND
p-Cymene	0.008	ND	ND
trans-Nerolidol	0.008	ND	ND
Total		6.461	64.61

Analytical Calibration Batch: Terpenes 02222022





#### **Primary Aromas**













LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []



Powered by Confident Cannabis

Groove, LLC Sample: 2202FID0720.4474

Strain: Sundae Driver

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000000397; METRC Sample: 1A408010000E4E9000000416 Analysis Initiated: 03/01/2022; Report Created: 03/03/2022

Sampling SOP: SOP-0050

#### Sundae Driver Live Rosin Badder (HB6)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 02/21/2022



Residual Solvents Pass

Analytical Calibration Batch: R.S. 01172022

Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM	
Acetone	400	5000	ND	Pass
Benzene	2	2	ND	Pass
Butanes	40	5000	ND	Pass
Chloroform	2	2	ND	Pass
Cyclohexane	20	3880	ND	Pass
Dichloromethane	20	5000	ND	Pass
Ethyl-Acetate	20	5000	ND	Pass
Heptanes	20	5000	ND	Pass

Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM	
Hexanes	20	290	ND	Pass
Isopropanol	400	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Methanol	400	3000	<loq< td=""><td>Pass</td></loq<>	Pass
Pentanes	20	5000	ND	Pass
Propane	40	5000	ND	Pass
Toluene	20	890	ND	Pass
Xylenes	20	2170	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

			Pass
1/2022			
LOQ State Limit		Mass	Status
PPB	PPB	PPB	
12	20	ND	Pass
20	20	ND	Pass
]	PPB 12	LOQ State Limit PPB PPB 12 20	LOQ State Limit Mass PPB PPB PPB 12 20 ND

Microbials			Pass
Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aerobic Bacteria	100000	NR	NT
Aspergillus	1	NR	NT
Aspergillus flavus	1	NR	NT
Aspergillus fumigatus	1	NR	NT
Aspergillus niger	1	NR	NT
Aspergillus terreus	1	NR	NT
Bile-Tolerant Gram-Negative Bacteria	10000	NR	NT
E. Coli	1	ND	Pass
Mold	10000	ND	Pass
Salmonella		ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057: E.Coli, and Salmonela analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []



Powered by Confident Cannabis 4 of 4

Groove, LLC Sample: 2202FID0720.4474

Strain: Sundae Driver Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000000397; METRC Sample: 1A408010000E4E9000000416 Analysis Initiated: 03/01/2022; Report Created: 03/03/2022

Sampling SOP: SOP-0050

#### Sundae Driver Live Rosin Badder (HB6)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 02/21/2022



Pesticides Pass

Analytical Calibration Batch: 02/21/2022

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.30	2.5	2.5	ND	Pass
Acequinocyl	0.30	10	10	ND	Pass
Bifenazate	0.30	1	1	ND	Pass
Bifenthrin	0.30	1	1	ND	Pass
Chlormequat	0.30	5	5	ND	Pass
Cyfluthrin	0.30	5	5	ND	Pass
Daminozide	0.30	5	5	ND	Pass
Etoxazole	0.30	1	1	ND	Pass
Fenoxycarb	0.30	1	1	ND	Pass
Imazalil	0.30	1	1	ND	Pass
Imidacloprid	0.30	2	2	ND	Pass
Myclobutanil	0.30	0.6	0.6	ND	Pass
Paclobutrazol	0.30	2	2	ND	Pass
Pyrethrins	0.30	5	5	ND	Pass
Spinosad	0.30	1	1	ND	Pass
Spirotetramat	0.30	1	1	ND	Pass
Trifloxystrobin	0.30	1	1	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Pesticide screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []