

Powered by Confident Cannabis

Groove, LLC Sample: 2207FID2973.19894

> Strain: Logjam Batch #: 1; Lot #:

METRC Batch: 1A408010000CABD000000462; METRC Sample: 1A408010000E4E9000000794 Analysis Initiated: 07/22/2022; Report Created: 07/26/2022

Sampling SOP: SOP-0050

Logjam Flower (HB 15)

Plant. Flower - Cured. Indoor Harvest/Production Date: 07/07/2022





16.80%

Total Potential Psychoactive THC

19.12%

Total Raw THC

0.05%

Total CBD

19.45%

Total Cannabinoids

Pass

Foreign Matter

Pass


10.71%

Moisture

Pass Cannabinoids

Analytical Calibration Batch: Cannabinoids AF 07052022

| LOQ | Mass | Mass |
|------|--|--|
| % | % | mg/g |
| 0.05 | 18.90 | 189.0 |
| 0.05 | 0.22 | 2.2 |
| 0.05 | ND | ND |
| 0.05 | ND | ND |
| 0.05 | 0.05 | 0.5 |
| 0.05 | ND | ND |
| 0.05 | ND | ND |
| 0.05 | 0.17 | 1.7 |
| 0.05 | 0.10 | 1.0 |
| 0.05 | ND | ND |
| | 19.45 | 194.5 |
| | % 0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.0 | % % 0.05 18.90 0.05 0.22 0.05 ND |



Total Potential Psychoactive THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0037; Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky

Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722



Powered by Confident Cannabis

Groove, LLC Sample: 2207FID2973.19894

Strain: Logjam Batch #: 1; Lot #:

METRC Batch: 1A408010000CABD000000462; METRC Sample: 1A408010000E4E9000000794 Analysis Initiated: 07/22/2022; Report Created: 07/26/2022

Linalool β-Pinene

Sampling SOP: SOP-0050

Logjam Flower (HB 15)


Plant, Flower - Cured, Indoor Harvest/Production Date: 07/07/2022



Terpenes

| Analyte | LOQ | Mass | Mass |
|---------------------|-------|-------|-------|
| | % | % | mg/g |
| β-Myrcene | 0.008 | 0.353 | 3.53 |
| β-Caryophyllene | 0.008 | 0.286 | 2.86 |
| δ-Limonene | 0.008 | 0.169 | 1.69 |
| Linalool | 0.008 | 0.127 | 1.27 |
| α-Humulene | 0.008 | 0.093 | 0.93 |
| α-Bisabolol | 0.008 | 0.083 | 0.83 |
| β-Pinene | 0.008 | 0.058 | 0.58 |
| trans-Nerolidol | 0.008 | 0.043 | 0.43 |
| α-Pinene | 0.008 | 0.033 | 0.33 |
| Caryophyllene Oxide | 0.008 | 0.023 | 0.23 |
| α-Terpinene | 0.008 | ND | ND |
| Camphene | 0.008 | ND | ND |
| cis-Nerolidol | 0.008 | ND | ND |
| δ-3-Carene | 0.008 | ND | ND |
| Eucalyptol | 0.008 | ND | ND |
| y-Terpinene | 0.008 | ND | ND |
| Geraniol | 0.008 | ND | ND |
| Guaiol | 0.008 | ND | ND |
| Isopulegol | 0.008 | ND | ND |
| Ocimene | 0.008 | ND | ND |
| p-Cymene | 0.008 | ND | ND |
| Terpinolene | 0.008 | ND | ND |
| Total | | 1.269 | 12.69 |

Analytical Calibration Batch: Terpenes 07192022



Primary Aromas











LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []



Powered by Confident Cannabis 3 of 4

Groove, LLC Sample: 2207FID2973.19894

Strain: Logjam Batch #: 1; Lot #:

METRC Batch: 1A408010000CABD000000462; METRC Sample: 1A408010000E4E9000000794 Analysis Initiated: 07/22/2022; Report Created: 07/26/2022

Sampling SOP: SOP-0050

Logjam Flower (HB 15)

Plant, Flower - Cured, Indoor Harvest/Production Date: 07/07/2022



Residual Solvents Not Tested

Analytical Calibration Batch:

Analyte LOQ State Limits Mass Status Analyte LOQ State Limits Mass Status

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

| Mycotoxins | | | | Pass |
|-----------------------------|---------------|-----------------|-----|--------|
| Analytical Calibration Batc | h: 06/28/2022 | | | |
| Analyte | LOQ Sta | LOQ State Limit | | Status |
| | PPB | PPB | PPB | |
| Ochratoxin A | 12 | 20 | ND | Pass |
| Total Aflatoxins | 20 | 20 | ND | Pass |

| Microbials | | | Pass |
|-----------------------|----------------------|-------|--------|
| Analyte | Limit | Mass | Status |
| | CFU/g | CFU/g | |
| Mold | 10000 | NR | NT |
| Aspergillus flavus | Not Detected in 1.0g | ND | Pass |
| Aspergillus fumigatus | Not Detected in 1.0g | ND | Pass |
| Aspergillus niger | Not Detected in 1.0g | ND | Pass |
| Aspergillus terreus | Not Detected in 1.0g | ND | Pass |
| Salmonella | Not Detected in 1.0g | ND | Pass |
| STEC | Not Detected in 1.0g | ND | Pass |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

 $LOQ = Limit of Quantitation; TNTC = Too \ Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057: STEC and Salmonela analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.$



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []



Powered by Confident Cannabis 4 of 4

Groove, LLC Sample: 2207FID2973.19894

Strain: Logjam Batch #: 1; Lot #:

METRC Batch: 1A408010000CABD000000462; METRC Sample: 1A408010000E4E9000000794 Analysis Initiated: 07/22/2022; Report Created: 07/26/2022

Sampling SOP: SOP-0050

Logjam Flower (HB 15)

Plant, Flower - Cured, Indoor Harvest/Production Date: 07/07/2022



Pesticides Pass

Analytical Calibration Batch: 06/28/2022

| Analyte | LOQ | State Limit | Expanded Limit | Mass | Status |
|----------------------|------|-------------|-------------------|------|--------|
| | PPM | PPM | PPM | PPM | |
| Abamectin | 0.12 | 0.5 | 0.5 | ND | Pass |
| Acequinocyl | 0.12 | 2 | 2 | ND | Pass |
| Bifenazate | 0.12 | 0.2 | 0.2 | ND | Pass |
| Bifenthrin | 0.12 | 0.2 | 0.2 | ND | Pass |
| Chlormequat chloride | 0.12 | 1 | 1 | ND | Pass |
| Cyfluthrin | 0.12 | 1 | 1 | ND | Pass |
| Daminozide | 0.12 | 1 | 1 | ND | Pass |
| Etoxazole | 0.12 | 0.2 | 0.2 | ND | Pass |
| Fenoxycarb | 0.12 | 0.2 | 0.2 | ND | Pass |
| Imazalil | 0.12 | 0.2 | 0.2 | ND | Pass |
| Imidacloprid | 0.12 | 0.4 | 0.4 | ND | Pass |
| Myclobutanil | 0.12 | 0.2 | 0.2 | ND | Pass |
| Paclobutrazol | 0.12 | 0.4 | 0.4 | ND | Pass |
| Pyrethrins | 0.12 | 1 | 1 | ND | Pass |
| Spinosad | 0.12 | 0.2 | 0.2 | ND | Pass |
| Spirotetramat | 0.12 | 0.2 | 0.2 | ND | Pass |
| Trifloxystrobin | 0.12 | 0.2 | 0.2 | ND | Pass |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Pesticide screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []