



FIDELITY
DIAGNOSTICS

Certificate of Analysis

Powered by Confident Cannabis
1 of 3

Groove Solventless

Sample: 2303FID1111.7708

Strain: Hybrid

Batch #: C; Lot #: no

METRC Batch: 1A4080100013EC1000000046; METRC Sample: 1A4080100013EC1000000049

Analysis Initiated: 03/13/2023; Report Created: 03/15/2023

Sampling SOP: SOP-0050

Inspire Passion Fruit (3/13/23)

Ingestible, Soft Chew, Ice/Water

Harvest/Production Date: 03/13/2023



9.59 mg/unit

Total Potential
Psychoactive THC

ND

Total CBD

Not Tested

Foreign Matter

9.59 mg/unit

Total Raw THC

10.28 mg/unit

Total Cannabinoids

Not Tested

NT

Moisture


Cannabinoids

Pass

Analytical Calibration Batch: Cannabinoids AF 02142023

Analyte	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/g
THCa	0.00	ND	ND
Δ9-THC	0.00	9.59	4.27
Δ8-THC	0.00	ND	ND
THCV	0.00	0.05	0.02
CBDa	0.00	ND	ND
CBD	0.00	ND	ND
CBN	0.00	0.03	0.01
CBGa	0.00	0.06	0.03
CBG	0.00	0.45	0.20
CBC	0.00	0.10	0.04
Total		10.28	4.58

CBC CBG CBGa CBN
Δ9-THC THCV



1 Unit = 1 Gummy, 2.2461g

Total Potential Psychoactive THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0037; Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight.

SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher calipers.

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003



Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Andre Umansky
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []



FIDELITY
DIAGNOSTICS

Certificate of Analysis

Powered by Confident Cannabis
2 of 3

Groove Solventless

Sample: 2303FID1111.7708

Strain: Hybrid

Batch #: C; Lot #: no

METRC Batch: 1A4080100013EC1000000046; METRC Sample: 1A4080100013EC1000000049

Analysis Initiated: 03/13/2023; Report Created: 03/15/2023

Sampling SOP: SOP-0050

Inspire Passion Fruit (3/13/23)

Ingestible, Soft Chew, Ice/Water

Harvest/Production Date: 03/13/2023



Terpenes

Analytical Calibration Batch:

Analyte	LOQ	Mass	Mass
---------	-----	------	------

Primary Aromas

--	--	--	--	--

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003



Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Andre Umansky
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []



Certificate of Analysis

Groove Solventless

Sample: 2303FID1111.7708

Strain: Hybrid

Batch #: C; Lot #: no

METRC Batch: 1A4080100013EC1000000046; METRC Sample: 1A4080100013EC1000000049

Analysis Initiated: 03/13/2023; Report Created: 03/15/2023

Sampling SOP: SOP-0050

Inspire Passion Fruit (3/13/23)

Ingestible, Soft Chew, Ice/Water

Harvest/Production Date: 03/13/2023



Residual Solvents

Not Tested

Analytical Calibration Batch:

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
---------	-----	--------------	------	--------	---------	-----	--------------	------	--------

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins

Not Tested

Analytical Calibration Batch:

Analyte	LOQ	State Limit	Mass	Status
---------	-----	-------------	------	--------

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Mold	10000	NR	NT
Aspergillus flavus	Not Detected in 1.0g	ND	Pass
Aspergillus fumigatus	Not Detected in 1.0g	ND	Pass
Aspergillus niger	Not Detected in 1.0g	ND	Pass
Aspergillus terreus	Not Detected in 1.0g	ND	Pass
Salmonella	Not Detected in 1.0g	ND	Pass
STEC	Not Detected in 1.0g	ND	Pass

LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057: STEC and Salmonella analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003



Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Andre Umansky
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

