



Certificate of Analysis

Groove Solventless

Sample: 2303FID1111.7706

Strain: Indica

Batch #: A; Lot #: no

METRC Batch: 1A4080100013EC1000000044; METRC Sample: 1A4080100013EC1000000047

Analysis Initiated: 03/13/2023; Report Created: 03/15/2023

Sampling SOP: SOP-0050

Unwind Mango Gummy (3/13/23)

Ingestible, Soft Chew, Ice/Water
Harvest/Production Date: 03/13/2023



9.20 mg/unit Total Potential Psychoactive THC	ND Total CBD	Not Tested Foreign Matter
9.20 mg/unit Total Raw THC	9.49 mg/unit Total Cannabinoids	Not Tested NT Moisture


Cannabinoids

Pass

Analytical Calibration Batch: Cannabinoids AF 02142023

Analyte	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/g
THCa	0.00	0.01	0.00
Δ9-THC	0.00	9.20	4.04
Δ8-THC	0.00	ND	ND
THCV	0.00	0.03	0.01
CBDa	0.00	ND	ND
CBD	0.00	ND	ND
CBN	0.00	0.03	0.02
CBGa	0.00	ND	ND
CBG	0.00	0.11	0.05
CBC	0.00	0.11	0.05
Total		9.49	4.17

■ CBC
 ■ CBG
 ■ CBN
 ■ Δ9-THC
■ THCa
 ■ THCv



1 Unit = 1 Gummy, 2.2780g

Total Potential Psychoactive THC = THCa * 0.877 + d9-THC
Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0037; Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight.

SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher calipers.

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Groove Solventless

Sample: 2303FID1111.7706

Strain: Indica

Batch #: A; Lot #: no

METRC Batch: 1A4080100013EC1000000044; METRC Sample: 1A4080100013EC1000000047

Analysis Initiated: 03/13/2023; Report Created: 03/15/2023

Sampling SOP: SOP-0050

Unwind Mango Gummy (3/13/23)

Ingestible, Soft Chew, Ice/Water

Harvest/Production Date: 03/13/2023



Terpenes

Analytical Calibration Batch:

Analyte	LOQ	Mass	Mass
---------	-----	------	------

Primary Aromas



LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fdimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Certificate of Analysis

Groove Solventless

Sample: 2303FID1111.7706

Strain: Indica

Batch #: A; Lot #: no

METRC Batch: 1A4080100013EC1000000044; METRC Sample: 1A4080100013EC1000000047

Analysis Initiated: 03/13/2023; Report Created: 03/15/2023

Sampling SOP: SOP-0050

Unwind Mango Gummy (3/13/23)

Ingestible, Soft Chew, Ice/Water

Harvest/Production Date: 03/13/2023



Residual Solvents

Not Tested

Analytical Calibration Batch:

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
---------	-----	--------------	------	--------	---------	-----	--------------	------	--------

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins

Not Tested

Analytical Calibration Batch:

Analyte	LOQ	State Limit	Mass	Status
---------	-----	-------------	------	--------

Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Mold	10000	NR	NT
Aspergillus flavus	Not Detected in 1.0g	ND	Pass
Aspergillus fumigatus	Not Detected in 1.0g	ND	Pass
Aspergillus niger	Not Detected in 1.0g	ND	Pass
Aspergillus terreus	Not Detected in 1.0g	ND	Pass
Salmonella	Not Detected in 1.0g	ND	Pass
STEC	Not Detected in 1.0g	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057; STEC and Salmonella analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063; Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061; Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fdimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

