

Powered by Confident Cannabis 1 of 4

# **Groove Solventless**

# Sample: 2309FID4599.29716

Strain: Bruce Banner/Candy Fumez Batch #: E; Lot #:

METRC Batch: 1A4080100013EC100000619; METRC Sample: 1A4080100013EC100000628 Analysis Initiated: 09/16/2023; Report Created: 09/19/2023 Sampling SOP: SOP-0050

### Bruce Banner (HB44) Flower Infused w/ Candy Fumez Solventless Hash (HB44)

Concentrates & Extracts, Infused/Enhanced Preroll, Pressing Harvest/Production Date:

	Foreign Matter
36.83%	Complete NR Moisture
	<b>36.83%</b>

# Cannabinoids

Analytical Calibration Batch: Cannabinoids AF 08282023

Analyte	LOQ	Mass	Mass	CBGa Δ9-THC THCa
	%	%	mg/g	
THCa	0.09	34.39	343.9	
∆9-THC	0.09	1.28	12.8	
∆8-THC	0.09	ND	ND	
THCV	0.09	ND	ND	
CBDa	0.09	ND	ND	
CBD	0.09	ND	ND	
CBN	0.09	ND	ND	
CBGa	0.09	1.15	11.5	
CBG	0.09	ND	ND	
CBC	0.09	ND	ND	
Total		36.83	368.3	
				93.4%

Total Potential Psychoactive THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa<sup>\*</sup> 0.877 + CBD LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0037; Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher calipers

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL.



216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003

**Fidelity Diagnostics Laboratory** 





Accredited to ISO/IEC 17025:2017

Accreditation #: 102722

Andre Umansky Laboratory Director

**Confident Cannabis** All Rights Reserved support@confidentcannabis.com (866) 506-5866



www.confidentcannabis.com

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001

### Pass



Powered by Confident Cannabis 2 of 4

# **Groove Solventless**

# Sample: 2309FID4599.29716

Strain: Bruce Banner/Candy Fumez Batch #: E; Lot #: METRC Batch: 1A4080100013EC1000000619; METRC Sample: 1A4080100013EC1000000628 Analysis Initiated: 09/16/2023; Report Created: 09/19/2023


Sampling SOP: SOP-0050

### Bruce Banner (HB44) Flower Infused w/ Candy Fumez Solventless Hash (HB44)

 $\label{eq:concentrates} Concentrates \& Extracts, Infused/Enhanced Preroll, Pressing \\ {\sf Harvest/Production Date:}$ 

## Terpenes

Analyte	LOQ	Mass	Mass
	%	%	mg/g
β-Caryophyllene	0.008	1.059	10.59
α-Humulene	0.008	0.385	3.85
δ-Limonene	0.008	0.312	3.12
Linalool	0.008	0.254	2.54
trans-Nerolidol	0.008	0.191	1.91
β-Myrcene	0.008	0.182	1.82
α-Bisabolol	0.008	0.126	1.26
cis-Nerolidol	0.008	0.124	1.24
α-Pinene	0.008	0.108	1.08
β-Pinene	0.008	0.096	0.96
Caryophyllene Oxide	0.008	0.026	0.26
Camphene	0.008	0.014	0.14
α-Terpinene	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
y-Terpinene	0.008	ND	ND
Geraniol	0.008	ND	ND
Guaiol	0.008	ND	ND
Isopulegol	0.008	ND	ND
Ocimene	0.008	ND	ND
p-Cymene	0.008	ND	ND
Terpinolene	0.008	ND	ND
Total		2.878	28.78



α-Bisabolol 🚺 α-Humulene 🚺 α-Pinene 🚺 β-Caryophyllene

## **Primary Aromas**



LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003

**Fidelity Diagnostics Laboratory** 





Andre Umansky Laboratory Director

6.3%

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866

36.8%



www.confidentcannabis.com

Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001

#### Analytical Calibration Batch: Terpenes 07272023



Powered by Confident Cannabis 3 of 4

# **Groove Solventless**

# Sample: 2309FID4599.29716

Strain: Bruce Banner/Candy Fumez Batch #: E; Lot #:

METRC Batch: 1A4080100013EC1000000619; METRC Sample: 1A4080100013EC1000000628 Analysis Initiated: 09/16/2023; Report Created: 09/19/2023 Sampling SOP: SOP-0050

### Bruce Banner (HB44) Flower Infused w/ Candy Fumez Solventless Hash (HB44)

 $\label{eq:concentrates} \begin{array}{l} \mbox{Concentrates \& Extracts, Infused/Enhanced Preroll, Pressing } \\ \mbox{Harvest/Production Date:} \end{array}$ 

### **Residual Solvents**

Analytical Calibration Batch: R.S. 08232023

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Acetone	400	5000	ND	Pass	Hexanes	20	290	ND	Pass
Benzene	2	2	ND	Pass	Isopropanol	400	5000	ND	Pass
Butanes	40	5000	ND	Pass	Methanol	400	3000	ND	Pass
Chloroform	2	2	ND	Pass	Pentanes	20	5000	ND	Pass
Cyclohexane	20	3880	ND	Pass	Propane	40	5000	ND	Pass
Dichloromethane	20	5000	ND	Pass	Toluene	20	890	ND	Pass
Ethyl-Acetate	20	5000	ND	Pass	Xylenes	20	2170	ND	Pass
Heptanes	20	5000	ND	Pass					

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins				Pass
Analytical Calibration Batch: 09	9/08/2023			
Analyte	LOQ	State Limit	Mass	Status
	PPB	PPB	PPB	
Ochratoxin A	12	20	ND	Pass
Total Aflatoxins	20	20	ND	Pass

Microbials			Pass
Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Mold	10000	NR	NT
Aspergillus flavus	Not Detected in 1.0g	ND	Pass
Aspergillus fumigatus	Not Detected in 1.0g	ND	Pass
Aspergillus niger	Not Detected in 1.0g	ND	Pass
Aspergillus terreus	Not Detected in 1.0g	ND	Pass
Salmonella	Not Detected in 1.0g	ND	Pass
STEC	Not Detected in 1.0g	ND	Pass

LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057: STEC and Salmonela analysis on AriaDX qPCR using Medicinal Genomics

validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using

Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003





Andre Umansky Laboratory Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866

www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Diagnostics media.

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001

Pass



Powered by Confident Cannabis 4 of 4

Pass

# **Groove Solventless**

# Sample: 2309FID4599.29716

Strain: Bruce Banner/Candy Fumez Batch #: E; Lot #: METRC Batch: 1A4080100013EC1000000619; METRC Sample: 1A4080100013EC1000000628 Analysis Initiated: 09/16/2023; Report Created: 09/19/2023 Sampling SOP: SOP-0050

### Bruce Banner (HB44) Flower Infused w/ Candy Fumez Solventless Hash (HB44)

 $\label{eq:concentrates} Concentrates \& \mathsf{Extracts}, \mathsf{Infused}/\mathsf{Enhanced} \ \mathsf{Preroll}, \mathsf{Pressing} \\ \mathsf{Harvest}/\mathsf{Production} \ \mathsf{Date:}$ 

## Pesticides

Analytical Calibration Batch: 09/08/2023

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.30	2.5	2.5	ND	Pass
Acequinocyl	0.30	10	10	ND	Pass
Bifenazate	0.30	1	1	ND	Pass
Bifenthrin	0.30	1	1	ND	Pass
Chlormequat chloride	0.30	5	5	ND	Pass
Cyfluthrin	0.30	5	5	ND	Pass
Daminozide	0.30	5	5	ND	Pass
Etoxazole	0.30	1	1	ND	Pass
Fenoxycarb	0.30	1	1	ND	Pass
Imazalil	0.30	1	1	ND	Pass
Imidacloprid	0.30	2	2	ND	Pass
Myclobutanil	0.30	0.6	0.6	ND	Pass
Paclobutrazol	0.30	2	2	ND	Pass
Pyrethrins	0.30	5	5	ND	Pass
Spinosad	0.30	1	1	ND	Pass
Spirotetramat	0.30	1	1	ND	Pass
Trifloxystrobin	0.30	1	1	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Pesticide screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003

**Fidelity Diagnostics Laboratory** 





Accredited to ISO/IEC 17025:2017

Accreditation #: 102722

Andre Umansky Laboratory Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866



www.confidentcannabis.com

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001