

Powered by Confident Cannabis 1 of 4

## **Groove Solventless**

Sample: 2310FID5328.34199

Strain: Dante's Inferno

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001582; METRC Sample: 1A4080100013EC1000000841 Analysis Initiated: 10/19/2023; Report Created: 10/23/2023

Sampling SOP: SOP-0050

### Dante's Inferno Solventless Hash Oil (HB49)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 10/11/2023





77.24%

**Total Potential** Psychoactive THC

77.24%

**Total Raw THC** 

ND

Total CBD

83.74%

**Total Cannabinoids** 

**Pass** 

Foreign Matter

Complete


NR

Moisture

**Pass Cannabinoids** 

Analytical Calibration Batch: Cannabinoids AF 09212023

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	ND	ND
Δ9-ΤΗС	0.09	77.24	772.4
Δ8-THC	0.09	ND	ND
THCV	0.09	0.29	2.9
CBDa	0.09	ND	ND
CBD	0.09	ND	ND
CBN	0.09	ND	ND
CBGa	0.09	0.40	4.0
CBG	0.09	5.05	50.5
CBC	0.09	0.76	7.6
Δ10-THC	0.09	ND	ND
Total		83.74	837.4



Total Potential Psychoactive THC = THCa \* 0.877 + d9-THC | Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0037; Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher caliners

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

support@confidentcannabis.com www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001



Powered by Confident Cannabis 2 of 4

## **Groove Solventless**

Sample: 2310FID5328.34199

Strain: Dante's Inferno

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001582; METRC Sample: 1A4080100013EC1000000841 Analysis Initiated: 10/19/2023; Report Created: 10/23/2023

Sampling SOP: SOP-0050

### Dante's Inferno Solventless Hash Oil (HB49)

Concentrates & Extracts, Live Rosin, Pressing


Harvest/Production Date: 10/11/2023



## Terpenes

Analyte	LOQ	Mass	Mass
	%	%	mg/g
δ-Limonene	0.008	1.185	11.85
β-Caryophyllene	0.008	0.895	8.95
Ocimene	0.008	0.649	6.49
β-Myrcene	0.008	0.617	6.17
Linalool	0.008	0.356	3.56
α-Humulene	0.008	0.309	3.09
α-Pinene	0.008	0.164	1.64
α-Bisabolol	0.008	0.133	1.33
trans-Nerolidol	0.008	0.099	0.99
Camphene	0.008	0.051	0.51
Terpinolene	0.008	0.028	0.28
β-Pinene	0.008	0.024	0.24
Eucalyptol	0.008	0.022	0.22
y-Terpinene	0.008	0.014	0.14
α-Terpinene	0.008	ND	ND
Caryophyllene Oxide	0.008	ND	ND
cis-Nerolidol	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
Geraniol	0.008	ND	ND
Guaiol	0.008	ND	ND
Isopulegol	0.008	ND	ND
p-Cymene	0.008	ND	ND
Total		4.547	45.47

Analytical Calibration Batch: Terpenes 09012023



## **Primary Aromas**











LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001



Powered by Confident Cannabis 3 of 4

## **Groove Solventless**

Sample: 2310FID5328.34199

Strain: Dante's Inferno

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001582; METRC Sample: 1A4080100013EC1000000841

Analysis Initiated: 10/19/2023; Report Created: 10/23/2023

Sampling SOP: SOP-0050

### Dante's Inferno Solventless Hash Oil (HB49)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 10/11/2023

Residual Solvents Pass

Analytical Calibration Batch: R.S. 09/20/2023

Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM	
Acetone	400	5000	ND	Pass
Benzene	2	2	ND	Pass
Butanes	40	5000	ND	Pass
Chloroform	2	2	ND	Pass
Cyclohexane	20	3880	ND	Pass
Dichloromethane	20	5000	ND	Pass
Ethyl-Acetate	20	5000	ND	Pass
Heptanes	20	5000	ND	Pass

Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM	
Hexanes	20	290	ND	Pass
Isopropanol	400	5000	ND	Pass
Methanol	400	3000	ND	Pass
Pentanes	20	5000	ND	Pass
Propane	40	5000	ND	Pass
Toluene	20	890	ND	Pass
Xylenes	20	2170	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins	Pass
Analytical Calibration Batch: 10/16/2023	

Analyte		State Limit	Mass	Status
	PPB	PPB	PPB	-
Ochratoxin A	12	20	ND	Pass
Total Aflatoxins	20	20	ND	Pass

Analyte	Limit	Mass	Status
Microbials			Pass

Analyte	LIMIL	iviass	Status
	CFU/g	CFU/g	
Mold	10000	NR	NT
Aspergillus flavus	Not Detected in 1.0g	ND	Pass
Aspergillus fumigatus	Not Detected in 1.0g	ND	Pass
Aspergillus niger	Not Detected in 1.0g	ND	Pass
Aspergillus terreus	Not Detected in 1.0g	ND	Pass
Salmonella	Not Detected in 1.0g	ND	Pass
STEC	Not Detected in 1.0g	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

 $LOQ = Limit of Quantitation; TNTC = Too \ Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057: STEC and Salmonela analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.$ 



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001



Powered by Confident Cannabis 4 of 4

## **Groove Solventless**

Sample: 2310FID5328.34199

Strain: Dante's Inferno

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001582; METRC Sample: 1A4080100013EC1000000841 Analysis Initiated: 10/19/2023; Report Created: 10/23/2023

Sampling SOP: SOP-0050

## Dante's Inferno Solventless Hash Oil (HB49)

Concentrates & Extracts, Live Rosin, Pressing

Harvest/Production Date: 10/11/2023



**Pesticides** 

Analytical Calibration Batch: 10/16/2023

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.30	2.5	2.5	ND	Pass
Acequinocyl	0.30	10	10	ND	Pass
Bifenazate	0.30	1	1	ND	Pass
Bifenthrin	0.30	1	1	ND	Pass
Chlormequat chloride	0.30	5	5	ND	Pass
Cyfluthrin	0.30	5	5	ND	Pass
Daminozide	0.30	5	5	ND	Pass
Etoxazole	0.30	1	1	ND	Pass
Fenoxycarb	0.30	1	1	ND	Pass
Imazalil	0.30	1	1	ND	Pass
Imidacloprid	0.30	2	2	ND	Pass
Myclobutanil	0.30	0.6	0.6	ND	Pass
Paclobutrazol	0.30	2	2	ND	Pass
Pyrethrins	0.30	5	5	ND	Pass
Spinosad	0.30	1	1	ND	Pass
Spirotetramat	0.30	1	1	ND	Pass
Trifloxystrobin	0.30	1	1	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Pesticide screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy,  $safety\ or\ other\ risks\ associated\ with\ any\ detected\ or\ non-detected\ levels\ of\ any\ compounds\ reported\ herein.\ This\ Certificate\ shall\ not\ be\ reproduced\ without\ the\ written\ approval\ of\ Fidelity\ and\ reported\ herein\ detected\ or\ non-detected\ levels\ of\ any\ compounds\ reported\ herein\ detected\ herein\ detected\ detected\ non-detected\ levels\ of\ any\ compounds\ reported\ herein\ detected\ non-detected\ levels\ of\ any\ compounds\ reported\ herein\ detected\ non-detected\ non-detecte$ Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001