

Powered by Confident LIMS

Groove Solventless

Sample: 2401FID0332.2356

Strain: Swampwater Fumez

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001663; METRC Sample: 1A4080100013EC1000001502 Analysis Initiated: 01/19/2024; Report Created: 01/23/2024

Sampling SOP: SOP-0050

Swampwater Fumez Solventless Hash Oil (HB54)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date:





74.40%

Total Potential Psychoactive THC

74.40%

Total Raw THC

ND

Total CBD

80.72%

Total Cannabinoids

Pass

Foreign Matter

Complete


NR

Moisture

Pass Cannabinoids

Analytical Calibration Batch: Cannabinoids AF 12182023

| Analyte | LOQ | Mass | Mass |
|---------|------|-------|-------|
| | % | % | mg/g |
| THCa | 0.09 | ND | ND |
| Δ9-ΤΗС | 0.09 | 74.40 | 744.0 |
| Δ8-ΤΗС | 0.09 | ND | ND |
| THCVa | 0.09 | ND | ND |
| THCV | 0.09 | ND | ND |
| CBDa | 0.09 | ND | ND |
| CBD | 0.09 | ND | ND |
| CBN | 0.09 | ND | ND |
| CBGa | 0.09 | 0.53 | 5.3 |
| CBG | 0.09 | 5.13 | 51.3 |
| CBC | 0.09 | 0.67 | 6.7 |
| Total | | 80.72 | 807.2 |
| | | | |



Total Potential Psychoactive THC = THCa * 0.877 + d9-THC | Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0037; Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher caliners

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Accreditation #: 102722

Andre Umansky Laboratory Director

Accredited to ISO/IEC 17025:2017

All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

Confident LIMS



This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001



Powered by Confident LIMS 2 of 4

Groove Solventless

Sample: 2401FID0332.2356

Strain: Swampwater Fumez

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001663; METRC Sample: 1A4080100013EC1000001502 Analysis Initiated: 01/19/2024; Report Created: 01/23/2024

β-Myrcene

Sampling SOP: SOP-0050

Swampwater Fumez Solventless Hash Oil (HB54)


Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date:



Terpenes

| Analyte | LOQ | Mass | Mass |
|---------------------|-------|-------|-------|
| • | % | % | mg/g |
| β-Caryophyllene | 0.008 | 2.217 | 22.17 |
| Linalool | 0.008 | 1.501 | 15.01 |
| α-Humulene | 0.008 | 1.005 | 10.05 |
| δ-Limonene | 0.008 | 0.945 | 9.45 |
| trans-Nerolidol | 0.008 | 0.268 | 2.68 |
| α-Bisabolol | 0.008 | 0.175 | 1.75 |
| α-Pinene | 0.008 | 0.161 | 1.61 |
| β-Myrcene | 0.008 | 0.057 | 0.57 |
| Camphene | 0.008 | 0.055 | 0.55 |
| α-Terpinene | 0.008 | ND | ND |
| β-Pinene | 0.008 | ND | ND |
| Caryophyllene Oxide | 0.008 | ND | ND |
| cis-Nerolidol | 0.008 | ND | ND |
| δ-3-Carene | 0.008 | ND | ND |
| Eucalyptol | 0.008 | ND | ND |
| y-Terpinene | 0.008 | ND | ND |
| Geraniol | 0.008 | ND | ND |
| Guaiol | 0.008 | ND | ND |
| Isopulegol | 0.008 | ND | ND |
| Ocimene | 0.008 | ND | ND |
| p-Cymene | 0.008 | ND | ND |
| Terpinolene | 0.008 | ND | ND |
| Total | | 6.383 | 63.83 |

Analytical Calibration Batch: Terpenes 01162024



α-Bisabolol α-Humulene α-Pinene β-Caryophyllene

Camphene δ-Limonene Linalool

Primary Aromas











LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001



Powered by Confident LIMS 3 of 4

Groove Solventless

Sample: 2401FID0332.2356

Strain: Swampwater Fumez

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001663; METRC Sample: 1A4080100013EC1000001502

Analysis Initiated: 01/19/2024; Report Created: 01/23/2024

Sampling SOP: SOP-0050

Swampwater Fumez Solventless Hash Oil (HB54)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date:



Residual Solvents Pass

Analytical Calibration Batch: R.S. 01/16/2024

| Analyte | LOQ | State Limits | Mass | Status |
|-----------------|-----|--------------|------|--------|
| | PPM | PPM | PPM | |
| Acetone | 400 | 5000 | ND | Pass |
| Benzene | 2 | 2 | ND | Pass |
| Butanes | 40 | 5000 | ND | Pass |
| Chloroform | 2 | 2 | ND | Pass |
| Cyclohexane | 20 | 3880 | ND | Pass |
| Dichloromethane | 20 | 5000 | ND | Pass |
| Ethyl-Acetate | 20 | 5000 | ND | Pass |
| Heptanes | 20 | 5000 | ND | Pass |

| Analyte | LOQ | State Limits | Mass | Status |
|-------------|-----|--------------|----------------------------------|--------|
| | PPM | PPM | PPM | |
| Hexanes | 20 | 290 | ND | Pass |
| Isopropanol | 400 | 5000 | <loq< td=""><td>Pass</td></loq<> | Pass |
| Methanol | 400 | 3000 | ND | Pass |
| Pentanes | 20 | 5000 | ND | Pass |
| Propane | 40 | 5000 | ND | Pass |
| Toluene | 20 | 890 | ND | Pass |
| Xylenes | 20 | 2170 | ND | Pass |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

| Mycotoxins | | | | Pass |
|------------------------------|---------------|----------|------|--------|
| Analytical Calibration Batch | n: 01/16/2024 | | | |
| Analyte | LOQ Sta | te Limit | Mass | Status |
| | PPB | PPB | PPB | |
| Ochratoxin A | 12 | 20 | ND | Pass |
| Total Aflatoxins | 20 | 20 | ND | Pass |
| | | | | |

| Microbials | | | Pass |
|-----------------------|----------------------|-------|--------|
| Analyte | Limit | Mass | Status |
| | CFU/g | CFU/g | |
| Mold | 10000 | NR | NT |
| Aspergillus flavus | Not Detected in 1.0g | ND | Pass |
| Aspergillus fumigatus | Not Detected in 1.0g | ND | Pass |
| Aspergillus niger | Not Detected in 1.0g | ND | Pass |
| Aspergillus terreus | Not Detected in 1.0g | ND | Pass |
| Salmonella | Not Detected in 1.0g | ND | Pass |
| STEC | Not Detected in 1.0g | ND | Pass |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

 $LOQ = Limit of Quantitation; TNTC = Too \ Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057: STEC and Salmonela analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.$



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001



Powered by Confident LIMS 4 of 4

Groove Solventless

Sample: 2401FID0332.2356

Strain: Swampwater Fumez

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001663; METRC Sample: 1A4080100013EC1000001502 Analysis Initiated: 01/19/2024; Report Created: 01/23/2024

Sampling SOP: SOP-0050

Swampwater Fumez Solventless Hash Oil (HB54)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date:



Pesticides Pass

Analytical Calibration Batch: 01/16/2024

| Analyte | LOQ | State Limit | Expanded Limit | Mass | Status |
|----------------------|------|-------------|-------------------|------|--------|
| | PPM | PPM | PPM | PPM | |
| Abamectin | 0.30 | 2.5 | 2.5 | ND | Pass |
| Acequinocyl | 0.30 | 10 | 10 | ND | Pass |
| Bifenazate | 0.30 | 1 | 1 | ND | Pass |
| Bifenthrin | 0.30 | 1 | 1 | ND | Pass |
| Chlormequat chloride | 0.30 | 5 | 5 | ND | Pass |
| Cyfluthrin | 0.30 | 5 | 5 | ND | Pass |
| Daminozide | 0.30 | 5 | 5 | ND | Pass |
| Etoxazole | 0.30 | 1 | 1 | ND | Pass |
| Fenoxycarb | 0.30 | 1 | 1 | ND | Pass |
| Imazalil | 0.30 | 1 | 1 | ND | Pass |
| Imidacloprid | 0.30 | 2 | 2 | ND | Pass |
| Myclobutanil | 0.30 | 0.6 | 0.6 | ND | Pass |
| Paclobutrazol | 0.30 | 2 | 2 | ND | Pass |
| Pyrethrins | 0.30 | 5 | 5 | ND | Pass |
| Spinosad | 0.30 | 1 | 1 | ND | Pass |
| Spirotetramat | 0.30 | 1 | 1 | ND | Pass |
| Trifloxystrobin | 0.30 | 1 | 1 | ND | Pass |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Pesticide screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001