

Powered by Confident LIMS

Groove Solventless

Sample: 2401FID0402.2894

Strain: White Burgundy

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001670; METRC Sample: 1A4080100013EC1000001522 Analysis Initiated: 01/23/2024; Report Created: 01/25/2024

Sampling SOP: SOP-0050

White Burgundy Solventless Hash Oil (HB54)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 01/09/2024





73.34%

Total Potential Psychoactive THC

73.34%

Total Raw THC

ND

Total CBD

77.79%

Total Cannabinoids

Pass

Foreign Matter

Complete


NR

Moisture

Pass Cannabinoids

Analytical Calibration Batch: Cannabinoids AF 12182023

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	ND	ND
Δ9-ΤΗС	0.09	73.34	733.4
Δ8-ΤΗС	0.09	ND	ND
THCVa	0.09	ND	ND
THCV	0.09	0.24	2.4
CBDa	0.09	ND	ND
CBD	0.09	ND	ND
CBN	0.09	ND	ND
CBGa	0.09	0.47	4.7
CBG	0.09	3.14	31.4
CBC	0.09	0.60	6.0
Total		77.79	777.9
·	· · · · · · · · · · · · · · · · · · ·		



Total Potential Psychoactive THC = THCa * 0.877 + d9-THC | Total CBD = CBDa * 0.877 + CBD LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0037; Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher caliners

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

All Rights Reserved coa.support@confidentlims.com



Confident LIMS

Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001



Powered by Confident LIMS 2 of 4

Groove Solventless

Sample: 2401FID0402.2894

 $Strain: White \ Burgundy$

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001670; METRC Sample: 1A4080100013EC1000001522 Analysis Initiated: 01/23/2024; Report Created: 01/25/2024

Sampling SOP: SOP-0050

β-Caryophyllene

White Burgundy Solventless Hash Oil (HB54)


Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 01/09/2024



Terpenes

Analyte	LOQ	Mass	Mass
	%	%	mg/g
β-Caryophyllene	0.008	2.867	28.67
δ-Limonene	0.008	1.228	12.28
Linalool	0.008	1.183	11.83
α-Humulene	0.008	0.957	9.57
α-Bisabolol	0.008	0.268	2.68
α-Pinene	0.008	0.203	2.03
β-Myrcene	0.008	0.065	0.65
Geraniol	0.008	0.059	0.59
Camphene	0.008	0.055	0.55
β-Pinene	0.008	0.032	0.32
Terpinolene	0.008	0.030	0.30
α-Terpinene	0.008	ND	ND
Caryophyllene Oxide	0.008	ND	ND
cis-Nerolidol	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
y-Terpinene	0.008	ND	ND
Guaiol	0.008	ND	ND
Isopulegol	0.008	ND	ND
Ocimene	0.008	ND	ND
p-Cymene	0.008	ND	ND
trans-Nerolidol	0.008	ND	ND
Total		6.947	69.47

Analytical Calibration Batch: Terpenes 01162024



α-Bisabolol α-Humulene α-Pinene

Primary Aromas











LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001



Powered by Confident LIMS 3 of 4

Groove Solventless

Sample: 2401FID0402.2894

Strain: White Burgundy

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001670; METRC Sample: 1A4080100013EC1000001522

Analysis Initiated: 01/23/2024; Report Created: 01/25/2024

Sampling SOP: SOP-0050

White Burgundy Solventless Hash Oil (HB54)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 01/09/2024



Residual Solvents Pass

Analytical Calibration Batch: R.S. 01/16/2024

Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM	
Acetone	400	5000	ND	Pass
Benzene	2	2	ND	Pass
Butanes	40	5000	ND	Pass
Chloroform	2	2	ND	Pass
Cyclohexane	20	3880	ND	Pass
Dichloromethane	20	5000	ND	Pass
Ethyl-Acetate	20	5000	ND	Pass
Heptanes	20	5000	ND	Pass

Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM	
Hexanes	20	290	ND	Pass
Isopropanol	400	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Methanol	400	3000	ND	Pass
Pentanes	20	5000	ND	Pass
Propane	40	5000	ND	Pass
Toluene	20	890	ND	Pass
Xylenes	20	2170	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins				Pass
Analytical Calibration Batch	n: 01/24/2024			
Analyte	LOQ Sta	LOQ State Limit		Status
	PPB	PPB	PPB	
Ochratoxin A	12	20	ND	Pass
Total Aflatoxins	20	20	ND	Pass

Microbials			Pass
Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Mold	10000	NR	NT
Aspergillus flavus	Not Detected in 1.0g	ND	Pass
Aspergillus fumigatus	Not Detected in 1.0g	ND	Pass
Aspergillus niger	Not Detected in 1.0g	ND	Pass
Aspergillus terreus	Not Detected in 1.0g	ND	Pass
Salmonella	Not Detected in 1.0g	ND	Pass
STEC	Not Detected in 1.0g	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

 $LOQ = Limit of Quantitation; TNTC = Too \ Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057: STEC and Salmonela analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.$



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001



Powered by Confident LIMS 4 of 4

Groove Solventless

Sample: 2401FID0402.2894

Strain: White Burgundy

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001670; METRC Sample: 1A4080100013EC1000001522 Analysis Initiated: 01/23/2024; Report Created: 01/25/2024

Sampling SOP: SOP-0050

White Burgundy Solventless Hash Oil (HB54)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 01/09/2024



Pesticides Pass

Analytical Calibration Batch: 01/24/2024

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.30	2.5	2.5	ND	Pass
Acequinocyl	0.30	10	10	ND	Pass
Bifenazate	0.30	1	1	ND	Pass
Bifenthrin	0.30	1	1	ND	Pass
Chlormequat chloride	0.30	5	5	ND	Pass
Cyfluthrin	0.30	5	5	ND	Pass
Daminozide	0.30	5	5	ND	Pass
Etoxazole	0.30	1	1	ND	Pass
Fenoxycarb	0.30	1	1	ND	Pass
Imazalil	0.30	1	1	ND	Pass
Imidacloprid	0.30	2	2	ND	Pass
Myclobutanil	0.30	0.6	0.6	ND	Pass
Paclobutrazol	0.30	2	2	ND	Pass
Pyrethrins	0.30	5	5	ND	Pass
Spinosad	0.30	1	1	ND	Pass
Spirotetramat	0.30	1	1	ND	Pass
Trifloxystrobin	0.30	1	1	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Pesticide screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001