



Certificate of Analysis

Groove Solventless

Sample: 2404FID1924.12581

Strain: Mai Tai

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001746; METRC Sample: 1A4080100013EC1000002316

Analysis Initiated: 04/11/2024; Report Created: 04/15/2024

Sampling SOP: SOP-0050

Mai Tai Solventless Hand-Pressed Hash (HB60)

Concentrates & Extracts, Hash - Hard, Ice/Water
Harvest/Production Date: 03/05/2024




| | | | |
|--|---|-------------------------------------|-----------------------------------|
| | 66.94% Total Potential Psychoactive THC | 0.14% Total CBD | Pass Foreign Matter |
| | 76.24% Total Raw THC | 82.35% Total Cannabinoids | Complete NR Moisture |

Cannabinoids

Pass

Analytical Calibration Batch: Cannabinoids AF 03132024

| Analyte | LOQ | Mass | Mass |
|--------------|------|--------------|--------------|
| | % | % | mg/g |
| THCa | 0.09 | 75.64 | 756.4 |
| Δ9-THC | 0.09 | 0.60 | 6.0 |
| Δ8-THC | 0.09 | ND | ND |
| THCVa | 0.09 | 0.57 | 5.7 |
| THCV | 0.09 | ND | ND |
| CBDa | 0.09 | 0.16 | 1.6 |
| CBD | 0.09 | ND | ND |
| CBN | 0.09 | ND | ND |
| CBGa | 0.09 | 5.38 | 53.8 |
| CBG | 0.09 | ND | ND |
| CBC | 0.09 | ND | ND |
| Total | | 82.35 | 823.5 |



Total Potential Psychoactive THC = THCa * 0.877 + d9-THC | Total CBD = CBDa * 0.877 + CBD
 LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
 SOP-0037; Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight.
 SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher calipers.
 SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory
 216 Trade St.
 Missoula, MT 59808
 (406) 926-2211
<http://www.fidimt.com>
 License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com





Certificate of Analysis

Groove Solventless

Sample: 2404FID1924.12581

Strain: Mai Tai

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001746; METRC Sample: 1A4080100013EC1000002316

Analysis Initiated: 04/11/2024; Report Created: 04/15/2024

Sampling SOP: SOP-0050

Mai Tai Solventless Hand-Pressed Hash (HB60)

Concentrates & Extracts, Hash - Hard, Ice/Water
Harvest/Production Date: 03/05/2024



Terpenes

Analytical Calibration Batch: Terpenes 03202024

| Analyte | LOQ | Mass | Mass |
|---------------------|-------|--------------|--------------|
| | % | % | mg/g |
| δ-Limonene | 0.008 | 2.264 | 22.64 |
| β-Caryophyllene | 0.008 | 1.524 | 15.24 |
| α-Pinene | 0.008 | 0.543 | 5.43 |
| β-Pinene | 0.008 | 0.510 | 5.10 |
| Linalool | 0.008 | 0.496 | 4.96 |
| α-Humulene | 0.008 | 0.439 | 4.39 |
| Ocimene | 0.008 | 0.249 | 2.49 |
| α-Bisabolol | 0.008 | 0.172 | 1.72 |
| β-Myrcene | 0.008 | 0.128 | 1.28 |
| Camphene | 0.008 | 0.073 | 0.73 |
| Terpinolene | 0.008 | 0.073 | 0.73 |
| trans-Nerolidol | 0.008 | 0.053 | 0.53 |
| Caryophyllene Oxide | 0.008 | 0.033 | 0.33 |
| Eucalyptol | 0.008 | 0.019 | 0.19 |
| α-Terpinene | 0.008 | ND | ND |
| cis-Nerolidol | 0.008 | ND | ND |
| δ-3-Carene | 0.008 | ND | ND |
| γ-Terpinene | 0.008 | ND | ND |
| Geraniol | 0.008 | ND | ND |
| Guaiol | 0.008 | ND | ND |
| Isopulegol | 0.008 | ND | ND |
| p-Cymene | 0.008 | ND | ND |
| Total | | 6.574 | 65.74 |



Primary Aromas



LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fdimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Certificate of Analysis

Groove Solventless

Sample: 2404FID1924.12581

Strain: Mai Tai

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001746; METRC Sample: 1A4080100013EC1000002316

Analysis Initiated: 04/11/2024; Report Created: 04/15/2024

Sampling SOP: SOP-0050

Mai Tai Solventless Hand-Pressed Hash (HB60)

Concentrates & Extracts, Hash - Hard, Ice/Water
Harvest/Production Date: 03/05/2024



Residual Solvents

Pass

Analytical Calibration Batch: R.S. 04/02/2024

| Analyte | LOQ | State Limits | Mass | Status | Analyte | LOQ | State Limits | Mass | Status |
|-----------------|-----|--------------|------|--------|-------------|-----|--------------|------|--------|
| | PPM | PPM | PPM | | | PPM | PPM | PPM | |
| Acetone | 400 | 5000 | ND | Pass | Hexanes | 20 | 290 | ND | Pass |
| Benzene | 2 | 2 | ND | Pass | Isopropanol | 400 | 5000 | ND | Pass |
| Butanes | 40 | 5000 | ND | Pass | Methanol | 400 | 3000 | ND | Pass |
| Chloroform | 2 | 2 | ND | Pass | Pentanes | 20 | 5000 | ND | Pass |
| Cyclohexane | 20 | 3880 | ND | Pass | Propane | 40 | 5000 | ND | Pass |
| Dichloromethane | 20 | 5000 | ND | Pass | Toluene | 20 | 890 | ND | Pass |
| Ethyl-Acetate | 20 | 5000 | ND | Pass | Xylenes | 20 | 2170 | ND | Pass |
| Heptanes | 20 | 5000 | ND | Pass | | | | | |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins

Pass

Analytical Calibration Batch: 04/11/2024

| Analyte | LOQ | State Limit | Mass | Status |
|------------------|-----|-------------|------|--------|
| | PPB | PPB | PPB | |
| Ochratoxin A | 12 | 20 | ND | Pass |
| Total Aflatoxins | 20 | 20 | ND | Pass |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

Microbials

Pass

| Analyte | Limit | Mass | Status |
|-----------------------|----------------------|-------|--------|
| | CFU/g | CFU/g | |
| Mold | 10000 | NR | NT |
| Aspergillus flavus | Not Detected in 1.0g | ND | Pass |
| Aspergillus fumigatus | Not Detected in 1.0g | ND | Pass |
| Aspergillus niger | Not Detected in 1.0g | ND | Pass |
| Aspergillus terreus | Not Detected in 1.0g | ND | Pass |
| Salmonella | Not Detected in 1.0g | ND | Pass |
| STEC | Not Detected in 1.0g | ND | Pass |

LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057; STEC and Salmonella analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063; Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061; Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Certificate of Analysis

Groove Solventless

Sample: 2404FID1924.12581

Strain: Mai Tai

Batch #: A; Lot #:

METRC Batch: 1A408010000E4E9000001746; METRC Sample: 1A4080100013EC1000002316

Analysis Initiated: 04/11/2024; Report Created: 04/15/2024

Sampling SOP: SOP-0050

Mai Tai Solventless Hand-Pressed Hash (HB60)

Concentrates & Extracts, Hash - Hard, Ice/Water
Harvest/Production Date: 03/05/2024



Pesticides

Pass

Analytical Calibration Batch: 04/11/2024

| Analyte | LOQ | State Limit | Expanded Limit | Mass | Status |
|-----------------------|------|-------------|----------------|------|--------|
| | PPM | PPM | PPM | PPM | |
| Abamectin | 0.30 | 2.5 | 2.5 | ND | Pass |
| Acequinocyl | 0.30 | 10 | 10 | ND | Pass |
| Bifenazate | 0.30 | 1 | 1 | ND | Pass |
| Bifenthrin | 0.30 | 1 | 1 | ND | Pass |
| Chloromequat chloride | 0.30 | 5 | 5 | ND | Pass |
| Cyfluthrin | 0.30 | 5 | 5 | ND | Pass |
| Daminozide | 0.30 | 5 | 5 | ND | Pass |
| Etoxazole | 0.30 | 1 | 1 | ND | Pass |
| Fenoxycarb | 0.30 | 1 | 1 | ND | Pass |
| Imazalil | 0.30 | 1 | 1 | ND | Pass |
| Imidacloprid | 0.30 | 2 | 2 | ND | Pass |
| Myclobutanil | 0.30 | 0.6 | 0.6 | ND | Pass |
| Paclobutrazol | 0.30 | 2 | 2 | ND | Pass |
| Pyrethrins | 0.30 | 5 | 5 | ND | Pass |
| Spinosad | 0.30 | 1 | 1 | ND | Pass |
| Spirotetramat | 0.30 | 1 | 1 | ND | Pass |
| Trifloxystrobin | 0.30 | 1 | 1 | ND | Pass |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Pesticide screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fdimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

