

Powered by Confident LIMS 1 of 4

Groove Solventless

Sample: 2408FID4178.27376

Strain: Candy Fumez

Batch #: A; Lot #:

METRC Batch: 1A4080100013EC1000004055; METRC Sample: 1A4080100013EC1000004063 Analysis Initiated: 08/14/2024; Report Created: 08/15/2024

Sampling SOP: SOP-0050

Candy Fumez Disposable - Solventless Hash Oil (HB66)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 06/03/2024





75.19%

Total Potential Psychoactive THC

75.19%

Total Raw THC

ND

Total CBD

78.40%

Total Cannabinoids

Pass

Foreign Matter

Complete


NR

Moisture

Cannabinoids

Analytical Calibration Batch: Cannabinoids AF 07092024

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	ND	ND
Δ9-THC	0.09	75.19	751.9
Δ8-THC	0.09	ND	ND
THCVa	0.09	ND	ND
THCV	0.09	ND	ND
CBDa	0.09	ND	ND
CBD	0.09	ND	ND
CBN	0.09	ND	ND
CBGa	0.09	0.12	1.2
CBG	0.09	2.46	24.6
CBC	0.09	0.63	6.3
Total		78.40	784.0



Total Potential Psychoactive THC = THCa * 0.877 + d9-THC | Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected.

SOP-0041: Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035: Foreign matter inspection includes but is not limited to hair, insects, stems, seeds, and feces. SOP-0036: Moisture analysis. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Powered by Confident LIMS 2 of 4

Groove Solventless

Sample: 2408FID4178.27376

Strain: Candy Fumez

Batch #: A; Lot #:

METRC Batch: 1A4080100013EC1000004055; METRC Sample: 1A4080100013EC1000004063 Analysis Initiated: 08/14/2024; Report Created: 08/15/2024

Sampling SOP: SOP-0050

Candy Fumez Disposable - Solventless Hash Oil (HB66)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 06/03/2024




Terpenes

Analyte	LOQ	Result	Result
	%	%	mg/g
β-Caryophyllene	0.008	2.920	29.20
δ-Limonene	0.008	1.522	15.22
Linalool	0.008	0.957	9.57
α-Humulene	0.008	0.914	9.14
trans-Nerolidol	0.008	0.411	4.11
β-Myrcene	0.008	0.398	3.98
α-Bisabolol	0.008	0.385	3.85
α-Pinene	0.008	0.200	2.00
Fenchol	0.003	0.163	1.63
α-Terpineol	0.005	0.157	1.57
β-Pinene	0.008	0.145	1.45
Geraniol	0.008	0.073	0.73
Camphene	0.008	0.056	0.56
Caryophyllene Oxide	0.008	0.054	0.54
Borneol	0.003	0.042	0.42
Terpinolene	0.008	0.039	0.39
α-Phellandrene	0.003	ND	ND
α-Terpinene	0.008	ND	ND
cis-Nerolidol	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
γ-Terpinene	0.008	ND	ND
Geranyl Acetate	0.003	ND	ND
Guaiol	0.008	ND	ND
Isopulegol	0.008	ND	ND
Ocimene	0.008	ND	ND
p-Cymene	0.008	ND	ND
Total		8.436	84.36

Analytical Calibration Batch: Terpenes 07/26/2024





Primary Aromas











LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. Results based on dry weight. SOP-0037; GC-FID Analysis of Terpenes in Cannabis Products. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Powered by Confident LIMS 3 of 4

Groove Solventless

Sample: 2408FID4178.27376

Strain: Candy Fumez

Batch #: A; Lot #:

METRC Batch: 1A4080100013EC1000004055; METRC Sample: 1A4080100013EC1000004063 Analysis Initiated: 08/14/2024; Report Created: 08/15/2024

Sampling SOP: SOP-0050

Candy Fumez Disposable - Solventless Hash Oil (HB66)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 06/03/2024



Residual Solvents Pass

Analytical Calibration Batch: 08/12/2024 R.S.

Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM	
Acetone	400	5000	ND	Pass
Benzene	2	2	ND	Pass
Butanes	40	5000	ND	Pass
Chloroform	2	2	ND	Pass
Cyclohexane	20	3880	ND	Pass
Dichloromethane	20	5000	ND	Pass
Ethyl-Acetate	20	5000	ND	Pass
Heptanes	20	5000	ND	Pass

Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM	
Hexanes	20	290	ND	Pass
Isopropanol	400	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Methanol	400	3000	ND	Pass
Pentanes	20	5000	ND	Pass
Propane	40	5000	ND	Pass
Toluene	20	890	ND	Pass
Xylenes	20	2170	ND	Pass

 $LOQ = Limit \ of \ Quantitation; \ NT = Not \ Tested; \ NR = Not \ Reported; \ ND = None \ Detected. \ PPM = Parts \ per \ Million. \ SOP-0060; \ A \ mass \ spectrum \ analysis \ of \ Residual \ Solvents \ using \ Gas \ Chromatography \ Mass \ Spectrometry \ (Thermo \ Scientific \ ISQ7000 \ GCMS).$

Mycotoxins				Pass
Analytical Calibration Batch:	: 08/01/2024			
Analyte	LOQ Sta	ate Limit	Mass	Status
	PPB	PPB	PPB	
Ochratoxin A	12	20	ND	Pass
Total Aflatoxins	20	20	ND	Pass

Microbials			Pass
Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Mold	10000	NR	NT
Aspergillus flavus	Not Detected in 1.0g	ND	Pass
Aspergillus fumigatus	Not Detected in 1.0g	ND	Pass
Aspergillus niger	Not Detected in 1.0g	ND	Pass
Aspergillus terreus	Not Detected in 1.0g	ND	Pass
Salmonella	Not Detected in 1.0g	ND	Pass
STEC	Not Detected in 1.0g	ND	Pass

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPB = Parts per Billion. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

NT = Not Tested; NR = Not Reported; ND = None Detected. TNTC = Too Numerous to Count; SOP-0058: STEC and Salmonela analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Powered by Confident LIMS 4 of 4

Groove Solventless

Sample: 2408FID4178.27376

Strain: Candy Fumez Batch #: A; Lot #:

METRC Batch: 1A4080100013EC1000004055; METRC Sample: 1A4080100013EC1000004063 Analysis Initiated: 08/14/2024; Report Created: 08/15/2024

Sampling SOP: SOP-0050

Candy Fumez Disposable - Solventless Hash Oil (HB66)

Concentrates & Extracts, Live Rosin, Pressing

Harvest/Production Date: 06/03/2024



Pesticides Pass

Analytical Calibration Batch: 08/01/2024

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.30	2.5	2.5	ND	Pass
Acequinocyl	0.30	10	10	ND	Pass
Bifenazate	0.30	1	1	ND	Pass
Bifenthrin	0.30	1	1	ND	Pass
Chlormequat chloride	0.30	5	5	ND	Pass
Cyfluthrin	0.30	5	5	ND	Pass
Daminozide	0.30	5	5	ND	Pass
Etoxazole	0.30	1	1	ND	Pass
Fenoxycarb	0.30	1	1	ND	Pass
Imazalil	0.30	1	1	ND	Pass
Imidacloprid	0.30	2	2	ND	Pass
Myclobutanil	0.30	0.6	0.6	ND	Pass
Paclobutrazol	0.30	2	2	ND	Pass
Pyrethrins	0.30	5	5	ND	Pass
Spinosad	0.30	1	1	ND	Pass
Spirotetramat	0.30	1	1	ND	Pass
Trifloxystrobin	0.30	1	1	ND	Pass

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001