



Certificate of Analysis

Groove Solventless

Sample: 2408FID3975.26130

Strain: Honey Banana/Tropicana Cherry

Batch #: A; Lot #:

METRC Batch: 1A4080100013EC1000003822; METRC Sample: 1A4080100013EC1000003835

Analysis Initiated: 08/01/2024; Report Created: 08/06/2024

Sampling SOP: SOP-0050

Honey Banana (HB67) Flower Infused w/ Tropicana Cherry Solventless Hash (HB64)

Concentrates & Extracts, Infused/Enhanced Preroll, Ice/Water

Harvest/Production Date: 07/30/2024



	35.16% Total Potential Psychoactive THC	<LOQ Total CBD	Pass Foreign Matter
	39.77% Total Raw THC	42.69% Total Cannabinoids	Pass 8.42% Moisture


Cannabinoids

Pass

Analytical Calibration Batch: Cannabinoids AF 07092024

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	37.44	374.4
Δ9-THC	0.09	2.33	23.3
Δ8-THC	0.09	ND	ND
THCVa	0.09	0.31	3.1
THCV	0.09	ND	ND
CBDa	0.09	<LOQ	<LOQ
CBD	0.09	ND	ND
CBN	0.09	ND	ND
CBGa	0.09	2.33	23.3
CBG	0.09	0.28	2.8
CBC	0.09	ND	ND
Total		42.69	426.9

Legend: CBG, CBGa, Δ9-THC, THCa, THCVa



Total Potential Psychoactive THC = THCa * 0.877 + Δ9-THC | Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected.

SOP-0041: Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035: Foreign matter inspection includes but is not limited to hair, insects, stems, seeds, and feces. SOP-0036: Moisture analysis. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fdimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Certificate of Analysis

Groove Solventless

Sample: 2408FID3975.26130

Strain: Honey Banana/Tropicana Cherry

Batch #: A; Lot #:

METRC Batch: 1A4080100013EC1000003822; METRC Sample: 1A4080100013EC1000003835

Analysis Initiated: 08/01/2024; Report Created: 08/06/2024

Sampling SOP: SOP-0050

Honey Banana (HB67) Flower Infused w/ Tropicana Cherry Solventless Hash (HB64)



Concentrates & Extracts, Infused/Enhanced Preroll, Ice/Water
Harvest/Production Date: 07/30/2024

Terpenes

Analytical Calibration Batch: Terpenes 05092024

Analyte	LOQ	Result	Result
	%	%	mg/g
β-Caryophyllene	0.008	1.092	10.92
α-Humulene	0.008	0.382	3.82
Linalool	0.008	0.366	3.66
δ-Limonene	0.008	0.203	2.03
α-Bisabolol	0.008	0.129	1.29
Geraniol	0.008	0.087	0.87
α-Terpineol	0.005	0.070	0.70
Fenchol	0.003	0.060	0.60
Guaiol	0.008	0.049	0.49
β-Myrcene	0.008	0.042	0.42
Caryophyllene Oxide	0.008	0.035	0.35
β-Pinene	0.008	0.022	0.22
α-Phellandrene	0.003	ND	ND
α-Pinene	0.008	ND	ND
α-Terpinene	0.008	ND	ND
Borneol	0.003	ND	ND
Camphene	0.008	ND	ND
cis-Nerolidol	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
γ-Terpinene	0.008	ND	ND
Geranyl Acetate	0.003	ND	ND
Isopulegol	0.008	ND	ND
Ocimene	0.008	ND	ND
p-Cymene	0.008	ND	ND
Terpinolene	0.008	ND	ND
trans-Nerolidol	0.008	ND	ND
Total		2.538	25.38



Primary Aromas


Cinnamon


Hops


Lavender


Lemon


Chamomile

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. Results based on dry weight. SOP-0037; GC-FID Analysis of Terpenes in Cannabis and Cannabis Products. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fdimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Certificate of Analysis

Groove Solventless

Sample: 2408FID3975.26130

Strain: Honey Banana/Tropicana Cherry

Batch #: A; Lot #:

METRC Batch: 1A4080100013EC1000003822; METRC Sample: 1A4080100013EC1000003835

Analysis Initiated: 08/01/2024; Report Created: 08/06/2024

Sampling SOP: SOP-0050

Honey Banana (HB67) Flower Infused w/ Tropicana Cherry Solventless Hash (HB64)



Concentrates & Extracts, Infused/Enhanced Preroll, Ice/Water

Harvest/Production Date: 07/30/2024

Residual Solvents

Pass

Analytical Calibration Batch: R.S. 06/19/2024

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Acetone	400	5000	ND	Pass	Hexanes	20	290	ND	Pass
Benzene	2	2	ND	Pass	Isopropanol	400	5000	ND	Pass
Butanes	40	5000	ND	Pass	Methanol	400	3000	ND	Pass
Chloroform	2	2	ND	Pass	Pentanes	20	5000	ND	Pass
Cyclohexane	20	3880	ND	Pass	Propane	40	5000	ND	Pass
Dichloromethane	20	5000	ND	Pass	Toluene	20	890	ND	Pass
Ethyl-Acetate	20	5000	ND	Pass	Xylenes	20	2170	ND	Pass
Heptanes	20	5000	ND	Pass					

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0060; A mass spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins

Pass

Analytical Calibration Batch: 08/01/2024

Analyte	LOQ	State Limit	Mass	Status
	PPB	PPB	PPB	
Ochratoxin A	12	20	ND	Pass
Total Aflatoxins	20	20	ND	Pass

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPB = Parts per Billion. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Mold	10000	NR	NT
Aspergillus flavus	Not Detected in 1.0g	ND	Pass
Aspergillus fumigatus	Not Detected in 1.0g	ND	Pass
Aspergillus niger	Not Detected in 1.0g	ND	Pass
Aspergillus terreus	Not Detected in 1.0g	ND	Pass
Salmonella	Not Detected in 1.0g	ND	Pass
STEC	Not Detected in 1.0g	ND	Pass

NT = Not Tested; NR = Not Reported; ND = None Detected. TNTC = Too Numerous to Count; SOP-0058: STEC and Salmonella analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fdimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Certificate of Analysis

Groove Solventless

Sample: 2408FID3975.26130

Strain: Honey Banana/Tropicana Cherry

Batch #: A; Lot #:

METRC Batch: 1A4080100013EC1000003822; METRC Sample: 1A4080100013EC1000003835

Analysis Initiated: 08/01/2024; Report Created: 08/06/2024

Sampling SOP: SOP-0050

Honey Banana (HB67) Flower Infused w/ Tropicana Cherry Solventless Hash (HB64)

Concentrates & Extracts, Infused/Enhanced Preroll, Ice/Water
Harvest/Production Date: 07/30/2024



Pesticides

Pass

Analytical Calibration Batch: 08/01/2024

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.30	2.5	2.5	ND	Pass
Acequinocyl	0.30	10	10	ND	Pass
Bifenazate	0.30	1	1	ND	Pass
Bifenthrin	0.30	1	1	ND	Pass
Chloromequat chloride	0.30	5	5	ND	Pass
Cyfluthrin	0.30	5	5	ND	Pass
Daminozide	0.30	5	5	ND	Pass
Etoxazole	0.30	1	1	ND	Pass
Fenoxycarb	0.30	1	1	ND	Pass
Imazalil	0.30	1	1	ND	Pass
Imidacloprid	0.30	2	2	ND	Pass
Myclobutanil	0.30	0.6	0.6	ND	Pass
Paclobutrazol	0.30	2	2	ND	Pass
Pyrethrins	0.30	5	5	ND	Pass
Spinosad	0.30	1	1	ND	Pass
Spirotetramat	0.30	1	1	ND	Pass
Trifloxystrobin	0.30	1	1	ND	Pass

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fdimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001