

Powered by Confident LIMS 1 of 4

## **Groove Solventless**

# Sample: 2408FID4049.26583

Strain: Strawberry Guava Batch #: A; Lot #:

METRC Batch: 1A4080100013EC1000003910; METRC Sample: 1A4080100013EC1000003924 Analysis Initiated: 08/07/2024; Report Created: 08/09/2024 Sampling SOP: SOP-0050

### Strawberry Guava Disposable - Solventless Hash Oil (HB69)


Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 07/23/2024

|  | <b>76.79%</b><br>Total Potential<br>Psychoactive THC | <b>0.10%</b><br>Total CBD | <b>Pass</b><br>Foreign Matter |  |
|--|--|---------------------------|-------------------------------|--|
|  | 76.79%   | 82.05%                    | Complete<br>NR                |  |
|  | Total Raw THC  | Total Cannabinoids        | Moisture                      |  |

## Cannabinoids

Analytical Calibration Batch: Cannabinoids AF 07092024

| Analyte | LOQ  | Mass  | Mass  |
|---------|------|-------|-------|
|         | %    | %     | mg/g  |
| THCa    | 0.09 | ND    | ND    |
| Δ9-THC  | 0.09 | 76.79 | 767.9 |
| ∆8-THC  | 0.09 | ND    | ND    |
| THCVa   | 0.09 | ND    | ND    |
| THCV    | 0.09 | 0.33  | 3.3   |
| CBDa    | 0.09 | 0.11  | 1.1   |
| CBD     | 0.09 | ND    | ND    |
| CBN     | 0.09 | ND    | ND    |
| CBGa    | 0.09 | 0.15  | 1.5   |
| CBG     | 0.09 | 3.91  | 39.1  |
| CBC     | 0.09 | 0.76  | 7.6   |
| Total   |      | 82.05 | 820.5 |



93.6%


Total Potential Psychoactive THC = THCa \* 0.877 + d9-THC | Total CBD = CBDa \* 0.877 + CBD LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected.

50P-0041: Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035: Foreign matter inspection includes but is not limited to hair, insects, stems, seeds, and feces. SOP-0036: Moisture analysis. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003

**Fidelity Diagnostics Laboratory** 





Andre Umansky Laboratory Director

Confident LIMS All Rights Reserved



www.confidentlims.com

coa.support@confidentlims.com (866) 506-5866

confident

Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001

Pass



Powered by Confident LIMS 2 of 4

### **Groove Solventless**

## Sample: 2408FID4049.26583

Strain: Strawberry Guava Batch #: A; Lot #: METRC Batch: 1A4080100013EC1000003910; METRC Sample: 1A4080100013EC1000003924 Analysis Initiated: 08/07/2024; Report Created: 08/09/2024

Analytical Calibration Batch: Terpenes 07/26/2024


Sampling SOP: SOP-0050

#### Strawberry Guava Disposable - Solventless Hash Oil (HB69)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 07/23/2024

### Terpenes

| Analyte             | LOQ   | Result | Result |
|---------------------|-------|--------|--------|
|                     | %     | %      | mg/g   |
| δ-Limonene          | 0.008 | 2.692  | 26.92  |
| β-Myrcene           | 0.008 | 1.397  | 13.97  |
| β-Caryophyllene     | 0.008 | 1.221  | 12.21  |
| Linalool            | 0.008 | 0.411  | 4.11   |
| α-Humulene          | 0.008 | 0.392  | 3.92   |
| α-Pinene            | 0.008 | 0.294  | 2.94   |
| Guaiol              | 0.008 | 0.288  | 2.88   |
| Fenchol             | 0.003 | 0.207  | 2.07   |
| α-Terpineol         | 0.005 | 0.201  | 2.01   |
| trans-Nerolidol     | 0.008 | 0.117  | 1.17   |
| α-Bisabolol         | 0.008 | 0.100  | 1.00   |
| β-Pinene            | 0.008 | 0.099  | 0.99   |
| Camphene            | 0.008 | 0.082  | 0.82   |
| Geraniol            | 0.008 | 0.064  | 0.64   |
| Borneol             | 0.003 | 0.060  | 0.60   |
| Terpinolene         | 0.008 | 0.057  | 0.57   |
| Ocimene             | 0.008 | 0.034  | 0.34   |
| α-Terpinene         | 0.008 | 0.025  | 0.25   |
| y-Terpinene         | 0.008 | 0.022  | 0.22   |
| α-Phellandrene      | 0.003 | ND     | ND     |
| Caryophyllene Oxide | 0.008 | ND     | ND     |
| cis-Nerolidol       | 0.008 | ND     | ND     |
| δ-3-Carene          | 0.008 | ND     | ND     |
| Eucalyptol          | 0.008 | ND     | ND     |
| Geranyl Acetate     | 0.003 | ND     | ND     |
| Isopulegol          | 0.008 | ND     | ND     |
| p-Cymene            | 0.008 | ND     | ND     |
| Total               |       | 7.765  | 77.65  |



### **Primary Aromas**

|       | <b>\$</b> | <b>V</b> |          | ŧ    |
|-------|-----------|----------|----------|------|
| Lemon | Hops      | Cinnamon | Lavender | Pine |

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. Results based on dry weight. SOP-0037; GC-FID Analysis of Terpenes in Cannabis and Cannabis Products. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.





**Fidelity Diagnostics Laboratory** 





Andre Umansky Laboratory Director

Confident LIMS All Rights Reserved



coa.support@confidentlims.com confident

(866) 506-5866 www.confidentlims.com

Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001





Powered by Confident LIMS 3 of 4

### **Groove Solventless**

## Sample: 2408FID4049.26583

Strain: Strawberry Guava Batch #: A; Lot #:

METRC Batch: 1A4080100013EC1000003910; METRC Sample: 1A4080100013EC1000003924 Analysis Initiated: 08/07/2024; Report Created: 08/09/2024 Sampling SOP: SOP-0050

#### Strawberry Guava Disposable - Solventless Hash Oil (HB69)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 07/23/2024

### **Residual Solvents**

Analytical Calibration Batch: R.S. 07/26/2024

| Analyte         | LOQ | State Limits | Mass | Status | Analyte     | LOQ | State Limits | Mass | Status |
|-----------------|-----|--------------|------|--------|-------------|-----|--------------|------|--------|
|                 | PPM | PPM          | PPM  |        |             | PPM | PPM          | PPM  |        |
| Acetone         | 400 | 5000         | ND   | Pass   | Hexanes     | 20  | 290          | ND   | Pass   |
| Benzene         | 2   | 2            | ND   | Pass   | Isopropanol | 400 | 5000         | ND   | Pass   |
| Butanes         | 40  | 5000         | ND   | Pass   | Methanol    | 400 | 3000         | ND   | Pass   |
| Chloroform      | 2   | 2            | ND   | Pass   | Pentanes    | 20  | 5000         | ND   | Pass   |
| Cyclohexane     | 20  | 3880         | ND   | Pass   | Propane     | 40  | 5000         | ND   | Pass   |
| Dichloromethane | 20  | 5000         | ND   | Pass   | Toluene     | 20  | 890          | ND   | Pass   |
| Ethyl-Acetate   | 20  | 5000         | ND   | Pass   | Xylenes     | 20  | 2170         | ND   | Pass   |
| Heptanes        | 20  | 5000         | ND   | Pass   |             |     |              |      |        |

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0060; A mass spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

| Mycotoxins                  |               |           |      | Pass   | Microbials            |                      |
|-----------------------------|---------------|-----------|------|--------|-----------------------|----------------------|
| Analytical Calibration Batc | h: 08/01/2024 |           |      |        | Analyte               | Limit                |
| Analyte                     | LOQ Sta       | ate Limit | Mass | Status | <u>,,</u>             | CFU/g                |
|                             | PPB           | PPB       | PPB  |        | Mold                  | 10000                |
| Ochratoxin A                | 12            | 20        | ND   | Pass   | Aspergillus flavus    | Not Detected in 1.0g |
| Total Aflatoxins            | 20            | 20        | ND   | Pass   | Aspergillus fumigatus | Not Detected in 1.0g |
|                             |               |           |      |        | Aspergillus niger     | Not Detected in 1.0g |

NT = Not Tested; NR = Not Reported; ND = None Detected. TNTC = Too Numerous to Count; SOP-0058: STEC and Salmonela analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.

Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003

Sciex 6500+ LCMSMS with Exion XR front HPLC.

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPB = Parts per Billion. SOP-0042; Pesticide & Mycotoxin screening is performed using





Andre Umansky Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com

www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Aspergillus terreus

Salmonella

STEC

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001

Pass

Pass

Status

NT

Pass

Pass

Pass

Pass

Pass

Pass

Mass

CFU/g NR

ND

ND

ND

ND

ND

ND

Not Detected in 1.0g

Not Detected in 1.0g

Not Detected in 1.0g



Powered by Confident LIMS 4 of 4

## **Groove Solventless**

# Sample: 2408FID4049.26583

Strain: Strawberry Guava Batch #: A; Lot #: METRC Batch: 1A4080100013EC1000003910; METRC Sample: 1A4080100013EC1000003924 Analysis Initiated: 08/07/2024; Report Created: 08/09/2024 Sampling SOP: SOP-0050

#### Strawberry Guava Disposable - Solventless Hash Oil (HB69)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 07/23/2024

### Pesticides

Analytical Calibration Batch: 08/01/2024


| Analyte              | LOO  | State Limit | Expanded | Mass   | Status |
|----------------------|------|-------------|----------|--------|--------|
|                      | LOQ  | State Emili | Limit    | 141855 | Status |
|                      | PPM  | PPM         | PPM      | PPM    |        |
| Abamectin            | 0.30 | 2.5         | 2.5      | ND     | Pass   |
| Acequinocyl          | 0.30 | 10          | 10       | ND     | Pass   |
| Bifenazate           | 0.30 | 1           | 1        | ND     | Pass   |
| Bifenthrin           | 0.30 | 1           | 1        | ND     | Pass   |
| Chlormequat chloride | 0.30 | 5           | 5        | ND     | Pass   |
| Cyfluthrin           | 0.30 | 5           | 5        | ND     | Pass   |
| Daminozide           | 0.30 | 5           | 5        | ND     | Pass   |
| Etoxazole            | 0.30 | 1           | 1        | ND     | Pass   |
| Fenoxycarb           | 0.30 | 1           | 1        | ND     | Pass   |
| Imazalil             | 0.30 | 1           | 1        | ND     | Pass   |
| Imidacloprid         | 0.30 | 2           | 2        | ND     | Pass   |
| Myclobutanil         | 0.30 | 0.6         | 0.6      | ND     | Pass   |
| Paclobutrazol        | 0.30 | 2           | 2        | ND     | Pass   |
| Pyrethrins           | 0.30 | 5           | 5        | ND     | Pass   |
| Spinosad             | 0.30 | 1           | 1        | ND     | Pass   |
| Spirotetramat        | 0.30 | 1           | 1        | ND     | Pass   |
| Trifloxystrobin      | 0.30 | 1           | 1        | ND     | Pass   |

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003

**Fidelity Diagnostics Laboratory** 





Andre Umansky Laboratory Director

Confident LIMS All Rights Reserved



www.confidentlims.com

coa.support@confidentlims.com (866) 506-5866



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Pass