

Groove Solventless

Sample: 2408FID4178.27375

Strain: White Burgundy Batch #: A; Lot #: METRC Batch: 1A4080100013EC1000004054; METRC Sample: 1A4080100013EC1000004062 Analysis Initiated: 08/14/2024; Report Created: 08/15/2024 Sampling SOP: SOP-0050

White Burgundy Disposable - Solventless Hash Oil (HB69)


Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 07/23/2024

grove solventions namin rinkining	72.46% Total Potential Psychoactive THC	ND Total CBD	Pass Foreign Matter	
	72.46%	77.92%	Complete NR	
	Total Raw THC	Total Cannabinoids	Moisture	

Cannabinoids

Analytical Calibration Batch: Cannabinoids AF 07092024

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	ND	ND
∆9-THC	0.09	72.46	724.6
∆8-THC	0.09	ND	ND
THCVa	0.09	ND	ND
THCV	0.09	0.30	3.0
CBDa	0.09	ND	ND
CBD	0.09	ND	ND
CBN	0.09	ND	ND
CBGa	0.09	0.15	1.5
CBG	0.09	4.22	42.2
CBC	0.09	0.79	7.9
Total		77.92	779.2



Total Potential Psychoactive THC = THCa * 0.877 + d9-THC | Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. 50P-0041: Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035: Foreign matter inspection includes but is not limited to hair, insects, stems, seeds, and feces. SOP-0036: Moisture analysis. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003


Fidelity Diagnostics Laboratory





Andre Umansky Laboratory Director

Confident LIMS All Rights Reserved



(866) 506-5866 www.confidentlims.com

confident



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001

Pass



Powered by Confident LIMS 2 of 4

Groove Solventless

Sample: 2408FID4178.27375

Analytical Calibration Batch: Terpenes 07/26/2024

Strain: White Burgundy Batch #: A; Lot #: METRC Batch: 1A4080100013EC1000004054; METRC Sample: 1A4080100013EC1000004062 Analysis Initiated: 08/14/2024; Report Created: 08/15/2024 Sampling SOP: SOP-0050


White Burgundy Disposable - Solventless Hash Oil (HB69)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 07/23/2024

Terpenes

Analyte	LOQ	Result	Result
	%	%	mg/g
β-Caryophyllene	0.008	3.328	33.28
δ-Limonene	0.008	1.193	11.93
α-Humulene	0.008	1.088	10.88
Linalool	0.008	0.908	9.08
α-Bisabolol	0.008	0.303	3.03
α-Pinene	0.008	0.226	2.26
Fenchol	0.003	0.194	1.94
α-Terpineol	0.005	0.171	1.71
trans-Nerolidol	0.008	0.092	0.92
β-Myrcene	0.008	0.083	0.83
β-Pinene	0.008	0.074	0.74
Geraniol	0.008	0.074	0.74
Camphene	0.008	0.072	0.72
Borneol	0.003	0.056	0.56
Terpinolene	0.008	0.040	0.40
y-Terpinene	0.008	0.023	0.23
α-Phellandrene	0.003	ND	ND
α-Terpinene	0.008	ND	ND
Caryophyllene Oxide	0.008	ND	ND
cis-Nerolidol	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
Geranyl Acetate	0.003	ND	ND
Guaiol	0.008	ND	ND
Isopulegol	0.008	ND	ND
Ocimene	0.008	ND	ND
p-Cymene	0.008	ND	ND
Total		7.922	79.22





Primary Aromas



LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. Results based on dry weight. SOP-0037; GC-FID Analysis of Terpenes in Cannabis and Cannabis Products. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003





Andre Umansky Laboratory Director

Confident LIMS All Rights Reserved



www.confidentlims.com

coa.support@confidentlims.com (866) 506-5866

confident

Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Powered by Confident LIMS 3 of 4

Groove Solventless

Sample: 2408FID4178.27375

Strain: White Burgundy Batch #: A; Lot #: METRC Batch: 1A4080100013EC1000004054; METRC Sample: 1A4080100013EC1000004062 Analysis Initiated: 08/14/2024; Report Created: 08/15/2024

Sampling SOP: SOP-0050

White Burgundy Disposable - Solventless Hash Oil (HB69)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 07/23/2024

Residual Solvents

Analytical Calibration Batch: 08/12/2024 R.S.

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Acetone	400	5000	ND	Pass	Hexanes	20	290	ND	Pass
Benzene	2	2	ND	Pass	Isopropanol	400	5000	<loq< th=""><th>Pass</th></loq<>	Pass
Butanes	40	5000	ND	Pass	Methanol	400	3000	ND	Pass
Chloroform	2	2	ND	Pass	Pentanes	20	5000	ND	Pass
Cyclohexane	20	3880	ND	Pass	Propane	40	5000	ND	Pass
Dichloromethane	20	5000	ND	Pass	Toluene	20	890	ND	Pass
Ethyl-Acetate	20	5000	ND	Pass	Xylenes	20	2170	ND	Pass
Heptanes	20	5000	ND	Pass					

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0060; A mass spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins				Pass	Microbials			Pass
Analytical Calibration Batch	h: 08/01/2024				Analyte	Limit	Mass	Status
Analyte	LOQ	State Limit	Mass	Status		CFU/g	CFU/g	
	PPB	PPB	PPB		Mold	10000	NR	NT
Ochratoxin A	12	20	ND	Pass	Aspergillus flavus	Not Detected in 1.0g	ND	Pass
Total Aflatoxins	20	20	ND	Pass	Aspergillus fumigatus	Not Detected in 1.0g	ND	Pass
					Aspergillus niger	Not Detected in 1.0g	ND	Pass
					Aspergillus terreus	Not Detected in 1.0g	ND	Pass
					Salmonella	Not Detected in 1.0g	ND	Pass

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPB = Parts per Billion. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003





STEC

Andre Umansky Laboratory Director

NT = Not Tested; NR = Not Reported; ND = None Detected. TNTC = Too Numerous to Count; SOP-0058: STEC and Salmonela analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX

qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using

Confident LIMS All Rights Reserved coa.support@confidentlims.com

www.confidentlims.com

Not Detected in 1.0g



Pass

ND

Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Hardy Diagnostics media.

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001

Pass



Powered by Confident LIMS 4 of 4

Groove Solventless

Sample: 2408FID4178.27375

Strain: White Burgundy Batch #: A; Lot #: METRC Batch: 1A4080100013EC1000004054; METRC Sample: 1A4080100013EC1000004062 Analysis Initiated: 08/14/2024; Report Created: 08/15/2024 Sampling SOP: SOP-0050

White Burgundy Disposable - Solventless Hash Oil (HB69)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 07/23/2024

Pesticides

Analytical Calibration Batch: 08/01/2024

Analyte	LOO	State Limit	Expanded	Mass	Status
	LOQ	State Emili	Limit	141855	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.30	2.5	2.5	ND	Pass
Acequinocyl	0.30	10	10	ND	Pass
Bifenazate	0.30	1	1	ND	Pass
Bifenthrin	0.30	1	1	ND	Pass
Chlormequat chloride	0.30	5	5	ND	Pass
Cyfluthrin	0.30	5	5	ND	Pass
Daminozide	0.30	5	5	ND	Pass
Etoxazole	0.30	1	1	ND	Pass
Fenoxycarb	0.30	1	1	ND	Pass
Imazalil	0.30	1	1	ND	Pass
Imidacloprid	0.30	2	2	ND	Pass
Myclobutanil	0.30	0.6	0.6	ND	Pass
Paclobutrazol	0.30	2	2	ND	Pass
Pyrethrins	0.30	5	5	ND	Pass
Spinosad	0.30	1	1	ND	Pass
Spirotetramat	0.30	1	1	ND	Pass
Trifloxystrobin	0.30	1	1	ND	Pass

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003

Fidelity Diagnostics Laboratory





Andre Umansky Laboratory Director

Confident LIMS All Rights Reserved



www.confidentlims.com

coa.support@confidentlims.com (866) 506-5866



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Pass