

Powered by Confident LIMS 1 of 4

### **Groove Solventless**

Sample: 2410FID5600.35687

Strain: Fritter Banger Batch #: a; Lot #:

METRC Batch: 1A4080100013EC1000005424; METRC Sample: 1A4080100013EC1000005518

Analysis Initiated: 10/30/2024; Report Created: 11/01/2024

Sampling SOP: SOP-0050

## Fritter Banger Disposable - Solventless Hash Oil (HB72)

Concentrates & Extracts, Live Rosin, Pressing

Harvest/Production Date: 10/24/2024





75.66%

**Total Potential** Psychoactive THC

75.66%

**Total Raw THC** 

ND

**Total CBD** 

80.60%

**Total Cannabinoids** 

**Pass** 

Foreign Matter

Complete


NR

Moisture

**Pass** Cannabinoids

Analytical Calibration Batch: Cannabinoids AF 10282024

<u>Analyte</u>	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	ND	ND
Δ9-ΤΗС	0.09	75.66	756.6
THCVa	0.09	ND	ND
THCV	0.09	0.28	2.8
CBDa	0.09	ND	ND
CBD	0.09	ND	ND
CBN	0.09	ND	ND
CBGa	0.09	ND	ND
CBG	0.09	3.77	37.7
CBC	0.09	0.88	8.8
Total		80.60	806.0



Total Potential Psychoactive THC = THCa \* 0.877 + d9-THC | Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected.

SOP-0041: Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035: Foreign matter inspection includes but is not limited to hair, insects, stems, seeds, and feces. SOP-0036: Moisture analysis. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Powered by Confident LIMS 2 of 4

## **Groove Solventless**

Sample: 2410FID5600.35687

Strain: Fritter Banger

Batch #: a; Lot #:

METRC Batch: 1A4080100013EC1000005424; METRC Sample: 1A4080100013EC1000005518 Analysis Initiated: 10/30/2024; Report Created: 11/01/2024

Sampling SOP: SOP-0050

## Fritter Banger Disposable - Solventless Hash Oil (HB72)

Concentrates & Extracts, Live Rosin, Pressing


Harvest/Production Date: 10/24/2024



## Terpenes

Analyte	LOO	Result	Result
Analyte	%	%	mg/g
δ-Limonene	0.008	3.063	30.63
β-Caryophyllene	0.008	1.372	13.72
α-Pinene	0.008	1.339	13.39
Linalool	0.008	0.924	9.24
Ocimene	0.008	0.681	6.81
Geranyl Acetate	0.003	0.573	5.73
α-Humulene	0.008	0.431	4.31
β-Pinene	0.008	0.397	3.97
α-Terpineol	0.005	0.261	2.61
trans-Nerolidol	0.008	0.259	2.59
Fenchol	0.003	0.247	2.47
β-Myrcene	0.008	0.218	2.18
cis-Nerolidol	0.008	0.189	1.89
α-Bisabolol	0.008	0.165	1.65
Camphene	0.008	0.118	1.18
Borneol	0.003	0.080	0.80
Terpinolene	0.008	0.062	0.62
α-Phellandrene	0.003	ND	ND
α-Terpinene	0.008	ND	ND
Caryophyllene Oxide	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
y-Terpinene	0.008	ND	ND
Geraniol	0.008	ND	ND
Guaiol	0.008	ND	ND
Isopulegol	0.008	ND	ND
p-Cymene	0.008	ND	ND
<u>Total</u>		10.377	103.77

Analytical Calibration Batch: Terpenes 09/08/2024



13.2% 29.5%

## Primary Aromas











LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. Results based on dry weight. SOP-0037; GC-FID Analysis of Terpenes in Cannabis Products. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Powered by Confident LIMS 3 of 4

**Groove Solventless** 

Sample: 2410FID5600.35687

Strain: Fritter Banger

Batch #: a; Lot #:

METRC Batch: 1A4080100013EC1000005424; METRC Sample: 1A4080100013EC1000005518 Analysis Initiated: 10/30/2024; Report Created: 11/01/2024

Sampling SOP: SOP-0050

## Fritter Banger Disposable - Solventless Hash Oil (HB72)

Concentrates & Extracts, Live Rosin, Pressing Harvest/Production Date: 10/24/2024



Residual Solvents Not Tested

Analytical Calibration Batch:

Analyte LOQ State Limits Mass Status Analyte LOQ State Limits Mass Status

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0060; A mass spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

			Pass	
Analytical Calibration Batch: 10/24/2024				
LOQ Sta	ate Limit	Mass	Status	
PPB	PPB	PPB		
12	20	ND	Pass	
20	20	ND	Pass	
	PPB 12	LOQ State Limit PPB PPB 12 20	LOQ State Limit         Mass           PPB         PPB           12         20           ND	

Microbials			Pass
Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Mold	10000	NR	NT
Aspergillus flavus	Not Detected in 1.0g	ND	Pass
Aspergillus fumigatus	Not Detected in 1.0g	ND	Pass
Aspergillus niger	Not Detected in 1.0g	ND	Pass
Aspergillus terreus	Not Detected in 1.0g	ND	Pass
Salmonella	Not Detected in 1.0g	ND	Pass
STEC	Not Detected in 1.0g	ND	Pass

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPB = Parts per Billion. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

NT = Not Tested; NR = Not Reported; ND = None Detected. TNTC = Too Numerous to Count; SOP-0058: STEC and Salmonela analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Powered by Confident LIMS 4 of 4

#### **Groove Solventless**

Sample: 2410FID5600.35687

Strain: Fritter Banger Batch #: a; Lot #:

METRC Batch: 1A4080100013EC1000005424; METRC Sample: 1A4080100013EC1000005518 Analysis Initiated: 10/30/2024; Report Created: 11/01/2024

Sampling SOP: SOP-0050

## Fritter Banger Disposable - Solventless Hash Oil (HB72)

Concentrates & Extracts, Live Rosin, Pressing

Harvest/Production Date: 10/24/2024



Pesticides Pass

Analytical Calibration Batch: 10/24/2024

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.30	2.5	2.5	ND	Pass
Acequinocyl	0.30	10	10	ND	Pass
Bifenazate	0.30	1	1	ND	Pass
Bifenthrin	0.30	1	1	ND	Pass
Chlormequat chloride	0.30	5	5	ND	Pass
Cyfluthrin	0.30	5	5	ND	Pass
Daminozide	0.30	5	5	ND	Pass
Etoxazole	0.30	1	1	ND	Pass
Fenoxycarb	0.30	1	1	ND	Pass
Imazalil	0.30	1	1	ND	Pass
Imidacloprid	0.30	2	2	ND	Pass
Myclobutanil	0.30	0.6	0.6	ND	Pass
Paclobutrazol	0.30	2	2	ND	Pass
Pyrethrins	0.30	5	5	ND	Pass
Spinosad	0.30	1	1	ND	Pass
Spirotetramat	0.30	1	1	ND	Pass
Trifloxystrobin	0.30	1	1	ND	Pass

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001