

Powered by Confident LIMS 1 of 4

Groove Solventless

Sample: 2501FID0198.1126

Strain: Dante's Inferno

Batch #: a; Lot #:

METRC Batch: 1A408010000E4E9000002186; METRC Sample: 1A4080100013EC1000007599 Analysis Initiated: 01/13/2025; Report Created: 01/16/2025

Sampling SOP: SOP-0050

Dante's Inferno Solventless Hand-Pressed Hash (HB76)

Concentrates & Extracts, Hash - Hard, Ice/Water Harvest/Production Date: 12/27/2024





67.66%

Total Potential Psychoactive THC

77.10%

Total Raw THC

0.21%

Total CBD

82.20%

Total Cannabinoids

Pass

Foreign Matter

Complete


NR

Moisture

Pass Cannabinoids

Analytical Calibration Batch: Cannabinoids AF 01022025

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	76.79	767.9
Δ9-THC	0.09	0.31	3.1
THCVa	0.09	0.26	2.6
THCV	0.09	ND	ND
CBDa	0.09	0.24	2.4
CBD	0.09	ND	ND
CBN	0.09	ND	ND
CBGa	0.09	4.59	45.9
CBG	0.09	ND	ND
CBC	0.09	ND	ND
Total		82.20	822.0



Total Potential Psychoactive THC = THCa * 0.877 + d9-THC | Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected.

SOP-0041: Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035: Foreign matter inspection includes but is not limited to hair, insects, stems, seeds, and feces. SOP-0036: Moisture analysis. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Powered by Confident LIMS 2 of 4

Groove Solventless

Sample: 2501FID0198.1126

Strain: Dante's Inferno

Batch #: a; Lot #:

METRC Batch: 1A408010000E4E9000002186; METRC Sample: 1A4080100013EC1000007599 Analysis Initiated: 01/13/2025; Report Created: 01/16/2025

Sampling SOP: SOP-0050

Dante's Inferno Solventless Hand-Pressed Hash (HB76)

 $Concentrates\,\&\,Extracts, Hash\,\hbox{-}\,Hard, Ice/Water$

Harvest/Production Date: 12/27/2024




Terpenes

Analyte	LOQ	Result	Result
	%	%	mg/g
β-Caryophyllene	0.008	1.265	12.65
δ-Limonene	0.008	1.191	11.91
Ocimene	0.008	0.691	6.91
β-Myrcene	0.008	0.591	5.91
α-Humulene	0.008	0.394	3.94
Linalool	0.008	0.369	3.69
β-Pinene	0.008	0.153	1.53
trans-Nerolidol	0.008	0.148	1.48
α-Bisabolol	0.008	0.133	1.33
Geraniol	0.008	0.132	1.32
α-Terpineol	0.005	0.098	0.98
α-Pinene	0.008	0.096	0.96
Fenchol	0.003	0.090	0.90
α-Phellandrene	0.003	ND	ND
α-Terpinene	0.008	ND	ND
Borneol	0.003	ND	ND
Camphene	0.008	ND	ND
Caryophyllene Oxide	0.008	ND	ND
cis-Nerolidol	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
y-Terpinene	0.008	ND	ND
Geranyl Acetate	0.003	ND	ND
Guaiol	0.008	ND	ND
Isopulegol	0.008	ND	ND
p-Cymene	0.008	ND	ND
Terpinolene	0.008	ND	ND
<u>Total</u>		5.350	53.50

Analytical Calibration Batch: Terpenes 12/23/2025

α-Humulene α-Pinene α-Terpineol



Primary Aromas











LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. Results based on dry weight. SOP-0037; GC-FID Analysis of Terpenes in Cannabis Products. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Powered by Confident LIMS 3 of 4

Groove Solventless

Sample: 2501FID0198.1126

Strain: Dante's Inferno

Batch #: a; Lot #:

METRC Batch: 1A408010000E4E9000002186; METRC Sample: 1A4080100013EC1000007599

Analysis Initiated: 01/13/2025; Report Created: 01/16/2025

Sampling SOP: SOP-0050

Dante's Inferno Solventless Hand-Pressed Hash (HB76)

Concentrates & Extracts, Hash - Hard, Ice/Water Harvest/Production Date: 12/27/2024



Residual Solvents Not Tested

Analytical Calibration Batch:

Analyte LOQ State Limits Mass Status Analyte LOQ State Limits Mass Status

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0060; A mass spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

			Pass		
Analytical Calibration Batch: 01/08/2025					
LOQ Sta	te Limit	Mass	Status		
PPB	PPB	PPB			
12	20	ND	Pass		
20	20	ND	Pass		
	PPB 12	LOQ State Limit PPB PPB 12 20	LOQ State LimitMassPPBPPBPPB1220ND		

Microbials			Pass
Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Mold	10000	NR	NT
Aspergillus flavus	Not Detected in 1.0g	ND	Pass
Aspergillus fumigatus	Not Detected in 1.0g	ND	Pass
Aspergillus niger	Not Detected in 1.0g	ND	Pass
Aspergillus terreus	Not Detected in 1.0g	ND	Pass
Salmonella	Not Detected in 1.0g	ND	Pass
STEC	Not Detected in 1 0g	ND	Pass

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPB = Parts per Billion. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

NT = Not Tested; NR = Not Reported; ND = None Detected. TNTC = Too Numerous to Count; SOP-0058: STEC and Salmonela analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Powered by Confident LIMS 4 of 4

Groove Solventless

Sample: 2501FID0198.1126

Strain: Dante's Inferno

Batch #: a; Lot #:

METRC Batch: 1A408010000E4E9000002186; METRC Sample: 1A4080100013EC1000007599 Analysis Initiated: 01/13/2025; Report Created: 01/16/2025

Sampling SOP: SOP-0050

Dante's Inferno Solventless Hand-Pressed Hash (HB76)

Concentrates & Extracts, Hash - Hard, Ice/Water

Harvest/Production Date: 12/27/2024



Pesticides Pass

Analytical Calibration Batch: 01/08/2025

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.30	2.5	2.5	ND	Pass
Acequinocyl	0.30	10	10	ND	Pass
Bifenazate	0.30	1	1	ND	Pass
Bifenthrin	0.30	1	1	ND	Pass
Chlormequat chloride	0.30	5	5	ND	Pass
Cyfluthrin	0.30	5	5	ND	Pass
Daminozide	0.30	5	5	ND	Pass
Etoxazole	0.30	1	1	ND	Pass
Fenoxycarb	0.30	1	1	ND	Pass
Imazalil	0.30	1	1	ND	Pass
Imidacloprid	0.30	2	2	ND	Pass
Myclobutanil	0.30	0.6	0.6	ND	Pass
Paclobutrazol	0.30	2	2	ND	Pass
Pyrethrins	0.30	5	5	ND	Pass
Spinosad	0.30	1	1	ND	Pass
Spirotetramat	0.30	1	1	ND	Pass
Trifloxystrobin	0.30	1	1	ND	Pass

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory 216 Trade St. Missoula, MT 59808 (406) 926-2211 http://www.fidimt.com License # L-100170-003







Andre Umansky Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Accredited to ISO/IEC 17025:2017 Accreditation #: 102722

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001