



# Certificate of Analysis

Groove Solventless

Sample: 2503FID1345.7265

Strain: Honey Banana

Batch #: a; Lot #:

METRC Batch: 1A4080100013EC1000008753; METRC Sample: 1A4080100013EC1000009010

Analysis Initiated: 03/14/2025; Report Created: 03/19/2025

Sampling SOP: SOP-0050

## Honey Banana (HB91) Flower Infused w/ Honey Banana Solventless Hash (HB90) (8753)

Concentrates & Extracts, Infused/Enhanced Preroll, Ice/Water

Harvest/Production Date: 03/10/2025



40.83%

Total Potential  
Psychoactive THC

0.14%

Total CBD

Pass

Foreign Matter

46.46%

Total Raw THC

48.21%

Total Cannabinoids

Pass

8.72%

Moisture


## Cannabinoids

Pass

Analytical Calibration Batch: Cannabinoids AF 02212025

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	45.77	457.7
$\Delta^9$ -THC	0.09	0.69	6.9
THCVa	0.09	0.27	2.7
THCV	0.09	ND	ND
CBDa	0.09	0.16	1.6
CBD	0.09	ND	ND
CBN	0.09	ND	ND
CBGa	0.09	1.32	13.2
CBG	0.09	ND	ND
CBC	0.09	ND	ND
Total		48.21	482.1

CBDa CBGa  $\Delta^9$ -THC THCa  
THCVa



Total Potential Psychoactive THC = THCa \* 0.877 +  $\Delta^9$ -THC | Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected.

SOP-0041: Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035: Foreign matter inspection includes but is not limited to hair, insects, stems, seeds, and feces. SOP-0036: Moisture analysis. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory  
216 Trade St.  
Missoula, MT 59808  
(406) 926-2211  
<http://www.fidimt.com>  
License # L-100170-003



Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Andre Umansky  
Laboratory Director

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



# Certificate of Analysis

Groove Solventless

Sample: 2503FID1345.7265

Strain: Honey Banana

Batch #: a; Lot #:

METRC Batch: 1A4080100013EC1000008753; METRC Sample: 1A4080100013EC1000009010

Analysis Initiated: 03/14/2025; Report Created: 03/19/2025

Sampling SOP: SOP-0050

## Honey Banana (HB91) Flower Infused w/ Honey Banana Solventless Hash (HB90) (8753)


Concentrates & Extracts, Infused/Enhanced Preroll, Ice/Water  
Harvest/Production Date: 03/10/2025



## Terpenes

Analytical Calibration Batch: Terpenes 03112025

Analyte	LOQ	Result	Result
	%	%	mg/g
β-Caryophyllene	0.008	2.208	22.08
α-Humulene	0.008	0.877	8.77
β-Myrcene	0.008	0.335	3.35
Limonene	0.008	0.326	3.26
Linalool	0.008	0.214	2.14
α-Bisabolol	0.008	0.164	1.64
Nerolidol		0.100	1.00
β-Pinene	0.008	0.064	0.64
α-Terpineol	0.005	0.046	0.46
Fenchol	0.003	0.041	0.41
α-Pinene	0.008	0.038	0.38
Caryophyllene Oxide	0.008	0.031	0.31
Camphene	0.008	0.019	0.19
Borneol	0.003	0.018	0.18
α-Myrcene		NR	NR
α-Phellandrene	0.003	ND	ND
α-Terpinene	0.008	ND	ND
β-Humulene		NR	NR
δ-3-Carene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
γ-Terpinene	0.008	ND	ND
Geraniol	0.008	ND	ND
Geranyl Acetate	0.003	ND	ND
Guaiol	0.008	ND	ND
Isopulegol	0.008	ND	ND
Ocimene	0.008	ND	ND
Phytol		NR	NR
p-Cymene	0.008	ND	ND
Terpinolene	0.008	ND	ND
Total		4.482	44.82



## Primary Aromas



Cinnamon



Hops



Orange



Lavender



Chamomile

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. Results based on dry weight. SOP-0037; GC-FID Analysis of Terpenes in Cannabis and Cannabis Products. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory  
216 Trade St.  
Missoula, MT 59808  
(406) 926-2211  
<http://www.fidimt.com>  
License # L-100170-003



Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Andre Umansky  
Laboratory Director

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



FIDELITY  
DIAGNOSTICS

# Certificate of Analysis

Powered by Confident LIMS  
3 of 3

Groove Solventless

Sample: 2503FID1345.7265

Strain: Honey Banana

Batch #: a; Lot #:

METRC Batch: 1A4080100013EC1000008753; METRC Sample: 1A4080100013EC1000009010

Analysis Initiated: 03/14/2025; Report Created: 03/19/2025

Sampling SOP: SOP-0050

**Honey Banana (HB91) Flower Infused w/ Honey Banana Solventless Hash (HB90) (8753)**

Concentrates & Extracts, Infused/Enhanced Preroll, Ice/Water

Harvest/Production Date: 03/10/2025



**Residual Solvents**

Not Tested

Analytical Calibration Batch:

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
---------	-----	--------------	------	--------	---------	-----	--------------	------	--------

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0060; A mass spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

**Mycotoxins**

Not Tested

Analytical Calibration Batch:

Analyte	LOQ	State Limit	Mass	Status
---------	-----	-------------	------	--------

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPB = Parts per Billion. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

**Microbials**

Not Tested

Analyte	Limit	Mass	Status
---------	-------	------	--------

NT = Not Tested; NR = Not Reported; ND = None Detected. TNTC = Too Numerous to Count; SOP-0058: STEC and Salmonella analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory  
216 Trade St.  
Missoula, MT 59808  
(406) 926-2211  
<http://www.fidimt.com>  
License # L-100170-003



Andre Umansky  
Laboratory Director

Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001