



Groove Solventless

Sample: 2311FID5812.37321

Strain: Chem T Haze

Batch #: A; Lot #:

METRC Batch: 1A4080100013EC1000000972; METRC Sample: 1A4080100013EC1000000975

Analysis Initiated: 11/10/2023; Report Created: 11/15/2023

Sampling SOP: SOP-0050

Chem T Haze Liquid Flower (HB42.1)

Ingestible, Tincture, Other

Harvest/Production Date: 09/15/2023



103.16 mg/unit

Total Potential
Psychoactive THC

0.71 mg/unit

Total CBD

Not Tested

Foreign Matter

103.16 mg/unit

Total Raw THC

115.66 mg/unit

Total Cannabinoids

Not Tested

NT


Moisture

Cannabinoids

Pass

Analytical Calibration Batch: Cannabinoids AF 10302023

Analyte	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/g
THCa	0.01	ND	ND
Δ^9 -THC	0.01	103.16	17.42
Δ^8 -THC	0.01	ND	ND
THCVa	0.01	ND	ND
THCV	0.01	0.90	0.15
CBDa	0.01	0.81	0.14
CBD	0.01	ND	ND
CBN	0.01	ND	ND
CBGa	0.01	0.57	0.10
CBG	0.01	9.10	1.54
CBC	0.01	1.12	0.19
Δ^{10} -THC	0.01	ND	ND
Total		115.66	19.53



1 Unit = 1 Bottle, 5.9210g

Total Potential Psychoactive THC = THCa * 0.877 + Δ^9 -THC | Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0037; Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight.

SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher calipers.

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.

Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003Accredited to ISO/IEC 17025:2017
Accreditation #: 102722Andre Umansky
Laboratory DirectorConfident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Certificate of Analysis

Groove Solventless

Sample: 2311FID5812.37321

Strain: Chem T Haze

Batch #: A; Lot #:

METRC Batch: 1A4080100013EC1000000972; METRC Sample: 1A4080100013EC1000000975

Analysis Initiated: 11/10/2023; Report Created: 11/15/2023

Sampling SOP: SOP-0050

Chem T Haze Liquid Flower (HB42.1)

Ingestible, Tincture, Other

Harvest/Production Date: 09/15/2023




Terpenes

Analytical Calibration Batch: Terpenes 10122023

Analyte	LOQ	Mass	Mass
	%	%	mg/g
α -Bisabolol	0.008	ND	ND
α -Humulene	0.008	ND	ND
α -Pinene	0.008	ND	ND
α -Terpinene	0.008	ND	ND
β -Caryophyllene	0.008	ND	ND
β -Myrcene	0.008	ND	ND
β -Pinene	0.008	ND	ND
Camphene	0.008	ND	ND
Caryophyllene Oxide	0.008	ND	ND
cis-Nerolidol	0.008	ND	ND
δ -3-Carene	0.008	ND	ND
δ -Limonene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
γ -Terpinene	0.008	ND	ND
Geraniol	0.008	ND	ND
Guaiol	0.008	ND	ND
Isopulegol	0.008	ND	ND
Linalool	0.008	ND	ND
Ocimene	0.008	ND	ND
p-Cymene	0.008	ND	ND
Terpinolene	0.008	ND	ND
trans-Nerolidol	0.008	ND	ND
Total		0.000	0

Primary Aromas



LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Certificate of Analysis

Groove Solventless

Sample: 2311FID5812.37321

Strain: Chem T Haze

Batch #: A; Lot #:

METRC Batch: 1A4080100013EC1000000972; METRC Sample: 1A4080100013EC1000000975

Analysis Initiated: 11/10/2023; Report Created: 11/15/2023

Sampling SOP: SOP-0050

Chem T Haze Liquid Flower (HB42.1)

Ingestible, Tincture, Other

Harvest/Production Date: 09/15/2023



Residual Solvents

Not Tested

Analytical Calibration Batch:

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
---------	-----	--------------	------	--------	---------	-----	--------------	------	--------

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins

Not Tested

Analytical Calibration Batch:

Analyte	LOQ	State Limit	Mass	Status
---------	-----	-------------	------	--------

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Mold	10000	NR	NT
Aspergillus flavus	Not Detected in 1.0g	ND	Pass
Aspergillus fumigatus	Not Detected in 1.0g	ND	Pass
Aspergillus niger	Not Detected in 1.0g	ND	Pass
Aspergillus terreus	Not Detected in 1.0g	ND	Pass
Salmonella	Not Detected in 1.0g	ND	Pass
STEC	Not Detected in 1.0g	ND	Pass

LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057: STEC and Salmonella analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

